

INDEX* **RUBBER CHEMISTRY AND TECHNOLOGY** **VOLUME 74, 2001** **AUTHOR INDEX***

- Abdou-Sabet, Sabet:** Fifty years of thermoplastic elastomer innovations (abs-F00#1) (1) 151
- Abu-Isa, Ismat Ali:** Structure and properties of oriented thermoplastic elastomer filament and films (abs-F00#40) (1) 161
- Aertsm J.** see Talma, A. G.: (4) 574
- Agullo, N.** see Vidal, E.: (abs-F00#91) (1) 174
- Alex, Rosamma** see Vinod, V. S.: (2) 236
- Andonian, Archie T.** see Gurchich, Mark R.: (5) 871
- Andonian, Archie T.** see Gurchich, Mark R.: (abs-F00#28) (1) 158
- Angoulvant, F.** see LeMehaute, A.: (abs-S01#1) (4) 729
- Annicelli, Ralph** see Ohm, Bob: (abs-F00#99) (1) 176
- Anthoine, G.** see To, Byron H.: (abs-S01#56) (4) 741
- Antony, Prince; De, S. K.; van Duin, Martin:** Self-crosslinking rubber/rubber and rubber/thermoplastic blends: A review (review) (3) 376
- Apostolo, Marco; Arrigoni, Stefano; Maccone, Patrizia; Arcella, Vincenzo:** Base resistant fluoroelastomers (abs-F00#118) (1) 182
- Arai, Masatochi** see Putman, John: (abs-S01#8) (4) 730
- Arastoopour, Hamid** see Biligi, Ecevit A.: (abs-F00#87) (1) 173
- Arcella, Vincenzo** see Apostolo, Marco: (abs-F00#118) (1) 182
- Arrigoni, Stefano** see Apostolo, Marco: (abs-F00#118) (1) 182
- Arroyo, M.** see Lopez-Manchado, M. A.: (2) 189
- Arroyo, Miguel** see Lopez-Manchado, Miguel A.: (2) 211
- Arruda, Ellen M.** see Bischoff, Jeffrey: (4) 541
- Arruda, Ellen M.** see Wang, Yan: (abs-F00#48) (1) 163
- Arruda, Ellen M.** see Wang, Yan: (4) 560
- Banks, H. T.** see Yeoh, O. H.: (abs-F00#84) (1) 172
- Banning, Rob; Howarth, Carl; Muhs, Joe:** Incorporating the use of thermoplastic elastomers, TPEs, in multicomponent structural plastic part design (abs-F00#38) (1) 161
- Barager, Howard J.; Kammerer, Klaus; McBride, Edward; Muschiatti, C.; Wu, Yun-Tai:** Increased cure rates of Vamac®(AEM) dipolymers and terpolymers using peroxides (abs-F00#115) (1) 181
- Baranwal, Krishna** see Chyi, L. L.: (abs-F00#89) (1) 173
- Barrowman, Kim:** The effect of sensing technology on tires in the mining industry (abs-S01#49) (4) 739
- Barry, C. M. F.** see Mehta, M.: (abs-F00#42) (1) 162
- Barry, C. M. F.** see Mehta, M.: (abs-F00#42) (1) 162
- Batrra, Jitender** see Qureshi, Nadim: (abs-F00#2) (1) 151
- Bauman, Judson T.:** Research directions in the behavior and characteristics of load bearing elastomers (abs-F00#45) (1) 163
- Beelen, John H. J. H.** see Dees, Michiel: (abs-F00-14) (1) 154
- Bernstein, Barry** see Biligi, Ecevit A.: (abs-F00#87) (1) 173
- Bertelsen, C. M.; Boerio, F. James; Kim, D. K.:** Plasma polymerized primers for rubber-to-steel bonding (abs-F00#7) (1) 153
- Bhattacharya, A. K.** see Ghosh, Swapan K.: (5) 883
- Bhowmick, Anil K.** see Chattopadhyay, S.: (5) 814

* The first issue of Volume 74 contains abstracts of Fall 2000 Meeting Papers. The papers are cited in the Index as (abs-F00#...) with the appropriate paper number inserted. The fourth issue of Volume 74 has abstracts from the Spring 2001 meeting. They are cited using a similar convention, i.e., (abs-S01#...). (The Fall 2001 meeting abstracts will appear in Issue 1, 2002.) Complete copies of meeting papers may be obtained from the Rubber Division Library, The University of Akron, Akron, OH 44325-3907.

* Prepared by Lois W. Brock

- Bhowmick, Anil K. see Kader, M. Abdul: (4) 662
- Bhowmick, Anil K. see Naskar, Amit Kumar: (4) 645
- Bhowmick, Anil K. see Ray, Sudip: (5) 834
- Bickert, J. R. see Elrod, D. B.: (2) 331
- Bilgili, Ecevit A.; Dybek, Adam; Arastoopour, Hamid; Bernstein, Barry: Compression molding of pulverized rubber (abs-F00#87) (1) 173
- Bischoff, Jeff; Arruda, Ellen M.; Grosh, Karl: A new constitutive model for the compressibility of elastomers at finite deformations (4) 541
- Boerio, F. James see Bertelsen, C. M.: (abs-F00#7) (1) 153
- Boggs, Steven and Xu, James: Electrochemical degradation of solid dielectric cable insulation---Filled vs. unfilled (abs-S01#42) (4) 738
- Bokobza, L. see Clement, F.: (5) 846
- Borros, S. see Vidal, E.: (abs-F00#91) (1) 174
- Bowen, Russ: New and advanced pre-hardened mold steels for today's precision rubber parts (abs-F00#135) (1) 186
- Bowers, Steve and Thomas, Eric: Improved processing low temperature fluorohydrocarbon elastomers (abs-F00#15) (1) 155
- Box, Emil see Ganter, Beate: (abs-F00#132) (1) 186
- Brackbill, Christian R. see Ramrakhayani, Deepak S.: (abs-F00#29) (1) 158
- Braun, Jennifer L.; Mark, James E.; Eichinger, Bruce E.: Polydimethylsiloxane networks, synthesis and computer simulation (abs-F00#131) (1) 185
- Broughton, Royall M. see Elrod, D. B.: (2) 331
- Brzoskowski, Ryszard see Saheghi, Reza: (abs-F00#22) (1) 156
- Bulawa, Michael C. and Keller, Robert C.: Impact of 42 volt electrical systems on the electrochemical resistance of peroxide cured automotive coolant hoses (abs-F00#117) (1) 181
- Burns, Gary T. see Kwan, Kermit S.: (4) 630
- Busfield, J. J. C. see Tsunoda, K.: (abs-S01#65) (4) 744
- Cakmak, M. see Wang, M. D.: (5) 745
- Cakmak, M. see Wang, M. D.: (5) 761
- Cakmak, Miko see Toki, Shigeyuki: (abs-S01#12) (4) 730
- Campion, R. P. and Lewan, M. V.: Processable low temperature cure (PLTC) natural rubber compound for a high duty offshore oil-production engineering application (abs-S01#39) (4) 737
- Campion, R. P.: Durability review of elastomer components for severe fluid duties in oil-field engineering and elsewhere (abs-S01#27) (4) 734
- Cancelosi, John R. see DeMair, Robert F.: (abs-S01#32) (4) 735
- Carli, Mark see Kolinski, Andrzej M.: (abs-F00#111) (1) 179
- Carli, Chaki, T. K. see Chattopadhyay, S.: (5) 814
- Chandra, Hari and Pillai, Chandrasekaran R.: Powder tire crumb rejuvenate designed for new tire applications (abs-F00#16) (1) 155
- Chandra, Hari see Pillai, Chandrasekaran R.: (abs-F00#85) (1) 172
- Chasar, Dwight W.: Modifying the performance of sulfenamide accelerators with thiuams (abs-S01#33) (4) 735
- Chattopadhyay, S.; Chaki, T. K.; Bhowmick, Anil K.: New thermoplastic elastomers from poly(ethylene-octene) (Engage), poly(ethylene-vinyl acetate) and low-density polyethylene by electron beam technology: Structural characterization and mechanical properties (5) 814
- Chawla, M. see Lee, B. L.: (abs-F00#32) (1) 159
- Chen, Chunyan; Schafer, Dale W.; Yang, Arthur J. -M.; DeAngelis, Ashley P.; Retzinger, Gregory S.; Jemian, Peter; Ilavsky, Jan: Designing reinforcing fillers for elastomers. II. Effect of ionic strength (abs-F00#56) (1) 165
- Chen, T., see Johnson, A. R.: (abs-F00#49) (1) 164
- Chen, Chunyan, see Schafer, Dale W.: (abs-F00#55) (1) 165
- Chezeau, J. M. see Dutta, N. K.: (2) 260
- Chouchaou, Ben: Optimizing rubber products via compound characterization and computer modeling (abs-F00#47) (1) 163
- Choudhury, N. Roy see Dutta, N. K.: (2) 260
- Christian, Scott see Kerns, Michael L.: (abs-F00#103) (1) 177
- Chyi, L. L.; Stephens, H. L.; Baranwal, Krishna: Use of strip coal mine for shredded tire monofill (abs-F00#89) (1) 173
- Clark, Ronald C.; Getz, Nancy; Witte, Jay: Radial seal force retention. Part I: Methodology (abs-F00#82) (1) 171
- Clark, Ronald C.: Quality and uniformity of aerospace elastomers (abs-S01#7) (4) 730
- Clarke, B. see Clarke, J.: (1) 1
- Clarke, J.; Clarke, B.; Freakley, P. K.: Relationships between mixing method, microstructure and strength of NR:BR blends (1) 1
- Clément, F.; Bokobza, L.; Monnerie, L.: On the Mullins effect in silica-filled polydimethylsiloxane networks (5) 846

- Cohn, Howard M.: Historical background of smart tires and sensing (abs-S01#47) (4) 739
- Coolbaugh, Thomas S. C.; Klosek, John M.; Marlin, John E.; Shirazi, Fay: Low molecular weight diene block copolymers (abs-F00#11) (1) 154
- Coran, A. Y. see Vongpanish, Pratum: (abs-F00#95) (1) 175
- Costin, Richard; Nagel, Walter; McElwee, Clay B.: Coagent selection for peroxide-cured elastomers (abs-F00#77) (1) 171
- Costin, Richard and Nagel, Walter: Technique for bonding rubber to metal using metallic coagents (abs-F00#100) (1) 177
- Costin, Richard: Coagent selection for wire and cable applications (abs-S01#30) (4) 734
- Coughlin, Michael; Schnell, Russell; Wang, Shuhong: Perfluoroelastomers in severe environments: Properties, chemistry, and applications (abs-S01#24) (4) 733
- Craveur, J. C. see LeMehaute, A.: (abs-S01#1) (4) 729
- Cubera, M. see Nijhof, L. B. G. M.: (abs-F00#116) (1) 181
- Datta, R. N. see Talma, A. G.: (4) 574
- Davies, C. K. L. see Tsunoda, K.: (abs-S01#65) (4) 744
- Davis, Mark K. and Eby, R. K.: Finite element modeling of indenter-sample contact during force imaging of filled rubber by atomic force microscopy (abs-F00#60) (1) 167
- De Groot, Jan J. see Wakker, J. Peter: (abs-F00#76) (1) 170
- De Souza, Gabriel P. see Denardin, Elton L.: (4) 622
- De, P. P. see Ghosh, Swapan K.: (5) 883
- De, S. K. see Antony, Prince: (review) (3) 376
- De, S. K. see Ghosh, Swapan K.: (5) 883
- De, S. K. see Naskar, Amit Kumar: (4) 645
- DeAngelis, Ashley P. see Chen, Chunyan: (abs-F00#56) (1) 165
- Dees, Michiel; Beelen, John H. J. H.; Patel, Jagdish R.; Keltan@ 7341A: A new CLCB sponge grade for high performance and consistency (abs-F00-14) (1) 154
- Degroot, jr., Jon V. see Kwan, Kermit S.: (4) 630
- Del Vecchio, R. J. and Ferro, E. B.: Effects of NBR polymer variations on compound properties (abs-S01#21) (4) 733
- Delmotte, L. see Dutta, N. K.: (2) 260
- DeMair, Robert F. and Cancelosi, John R.: Oxygen index methods for use on cable materials as predictors of vertical tray flame test performance (abs-S01#32) (4) 735
- Denardin, Elton L. G.; Samios, Dimitrios; Janissek, Paulo R.; de Souza, Gabriel P.: Thermal degradation of aged chloroprene rubber studied by thermogravimetric analysis (4) 622
- Dennis, Gary M. and O'Brien, Greg: Polyether block amide resins: Bridging the gap between thermoplastics and rubber (abs-F00#21) (1) 156
- DePaula, R. C. M. see Rodrigues, F. H. A.: (1) 57
- Derby, N. Cedric: New developments in flexible intermediate bulk containers (FIBC) (abs-F00#51) (1) 164
- Dharmarajan, N.; Liotta, R.; Varma-Nair, Manika: Compound optimization using a new low viscosity EP(D)M polymer in injection molding applications (abs-F00#33) (1) 160
- Dharmarajan, N. R. see Pehlert, G. J.: (abs-S01#29) (4) 734
- Dick, John S.: Dynamic aging of vulcanizates using the rubber process analyzer (abs-F00#96) (1) 176
- Diwivedi, Jay see Gee, Garrett L.: (abs-F00#62) (1) 167
- Dluzneski, Peter R.: The chemistry of peroxide vulcanization of rubber (abs-F00#75) (1) 170
- Dluzneski, Peter R.: Solving problems in rubber formulations with analytical chemistry (abs-F00#101) (1) 177
- Dluzneski, Peter R.: Peroxide vulcanization of elastomers (review) (3) 451
- Donnelly, Peter J.: Effect of the type of carbon black on the volume resistivity of an EPDM compound (abs-F00#123) (1) 183
- Donnet, J. B. see Dutta, N. K.: (2) 260
- Doumen, C. see Neri, Carlo: (abs-S01#41) (4) 738
- Drasner, Jason L. and Drasner, Joseph: Batch inclusion bags---Which one is right for you? (abs-F00#53) (1) 165
- Drasner, Joseph see Drasner, Jason L.: (abs-F00#53) (1) 165
- Dutta, N. K.; Choudhury, N. Roy; Haidar, B.; Vidal, A.; Donnet, J. B.; Delmotte, L.; Chezeau, J. M.: High-resolution solid state NMR investigation of the filler-rubber interaction: Part III. Investigation on the structure and formation mechanism of carbon gel in the carbon black-filled styrene-butadiene rubber (2) 260
- Dybek, Adam see Biligi, Ecevit A.: (abs-F00#87) (1) 173
- Eby, R. K. see Davis, Mark K.: (abs-F00#60) (1) 167
- Eichinger, Bruce E. see Braun, Jennifer L.: (abs-F00#131) (1) 185
- Eilo, Glena: Dispelling the myths and legends surrounding organic peroxides (abs-F00#73) (1) 170
- Elrod, D. B.; Figlar, J. Gibb; Worley, S. D.; Broughton, Royall M.; Bickert, J. R.; Santiago, J. I.; Williams, J. F.: A novel biocidal elastomer (2) 331

- Fader, Jack H.: Upgraded pyrolyzed carbon black (CBp) from waste tires and scrap rubber as reinforcing filler in rubber compounds (abs-F00#114) (1) 180
- Feitosa, J. P. A. see Rodrigues, F. H. A.: (1) 57
- Ferradino, A. G. see Tsimpris, C. W.: (abs-F00#19) (1) 156
- Ferradino, Anthony G.: Antioxidant selection for peroxide cure elastomer application---A review (abs-S01#31) (4) 735
- Ferro, E. B. see Del Vecchio, R. J.: (abs-S01#21) (4) 733
- Figlar, J. Gibb see Elrod, D. B.: (2) 331
- Files, Edmee and Wood, Michael E.: Post cure thermo-oxidative effects on HNBR (abs-F00#102) (1) 177
- Freakley, P. K. see Clarke, J.: (1) 1
- Fröhlich, J. see Niedermeier, Werner: (abs-S01#68) (4) 744
- Frölich, J. see Luginsland, Hans-Detlef: (abs-S01#59) (4) 742
- Fuest, Ronald W.: Applications of liquid cast polyurethane elastomers (abs-F00#35) (1) 160
- Ganter, Beate; Box, Emil; Wang, Yi-Feng: A new generation of addition curing silicone heat vulcanizing rubbers (abs-F00#132) (1) 186
- Ganter, Markus; Gronski, Wolfram; Reichert, Peter; Muelhaupt, Rolf: Rubber nanocomposites: Morphology and mechanical properties of BR and SBR vulcanizates reinforced by organophilic layered silicates (2) 221
- Garrison, Tracy and Zeitler, John: Packaging is the key to success (abs-F00#54) (1) 165
- Gatti, Lou: The effect of high dispersible-high structure silica on rubber properties (abs-F00#57) (1) 166
- Gatti, Lou: Acceleration dependent hysteresis: Part II. Phase lag variation during cyclic sinusoidal testing (abs-F00#83) (1) 172
- Gatti, Lou: Reduced silane usage in wet traction oriented compounds through high surface activity (abs-S01#57) (4) 741
- Gee, Garrett L. and Diwivedi, Jay: The impact of E-business in the thermoplastic elastomer industry (abs-F00#62) (1) 167
- Gent, A. N.; Hung, W. J.; Tse, M. F.: Swelling of constraintd rubber layers: Effect on free energy of detachment (1) 89
- Gent, A. N. and Razzagha-Kashani, M.: Energy release rate for a crack in a tilted block (abs-F00#66) (1) 168
- Gent, A. N. see Leicht, D. C.: (abs-F00#68) (1) 168
- Gerchcovich, M. see St. Lawrence, S.: (abs-F00#24) (1) 157
- Gerchcovich, M. see St. Lawrence, S.: (4) 601
- Gerspacher, Michel see Nikiel, Leszek: (2) 249
- Getz, Nancy see Clark, Ronald C.: (abs-F00#82) (1) 171
- Ghebremeskel, G. see Zhao, J.: (4) 743
- Ghebremeskel, G. N. see Zhao, J.: (review) (3) 409
- Ghebremeskel, Ghebrehwet N. see Shield, Stephane R.: (5) 802
- Ghosh, Swapan K.; Bhattacharya, A. K.; De, P. P.; Khastgir, D. D.; De, S. K.; Pfeiffer, Dennis G.: Effect of degree of neutralization on the properties of ionic thermoplastic elastomer based on sulfonated maleated styrene-ethylene/butylene-styrene block copolymer (5) 883
- Giakos, George C.: Emerging smart sensing structures (abs-S01#50) (4) 739
- Gillen, Kenneth; Terrill, Edward R.; Winter, Robb M.: Modulus mapping of rubbers using micro- and nano-indentation techniques (review) (3) 428
- Gladysz, Gary M. and Smith, P. F.: Effect of fiber surface treatment on the interfacial bonding in siliconeelastomers (abs-F00#8) (1) 153
- Glikman, Z. see Naveh, N.: (abs-F00#106) (1) 178
- Gong, Ruihua: An innovative technology of making non-pneumatic bicycle tires (abs-F00#138) (1) 186
- Gough, J. see Gregory, I. H.: (abs-F00#70) (1) 169
- Gradwell, Michael H. S. and Stephenson, Nigel: The action of N-(cyclohexylthio)phthalimide as a prevulcanization inhibitor of 2-bisbenzothiazole-2,2'-disulfide accelerated sulfur vulcanization (1) 44
- Gregory, I. H.; Gough, J.; Muhr, A. H.: Fracture and stress analysis of bonded rubber blocks in simple shear (abs-F00#70) (1) 169
- Grellman, W. see Reinche, Katrin: (abs-S01#64) (4) 743
- Gronski, Wolfram see Ganter, Markus: (2) 221
- Grosh, Karl see Bischoff, Jeffrey: (4) 541
- Gurvich, Mark R.; Andonian, Archie T.; Kim, Soojaa, L.: Hysteresis energy loss in cord/rubber composites under 2-D cyclic loading (5) 871
- Guillet, Antoine; Persello, Jacques; Morawski, Jean-Claude: Interaction of silica particles in a rubber model system: Investigation by rheology and small angle neutron scattering (abs-F00#58) (1) 166
- Guo, Xiaoping: Large deformation analysis for a cylindrical hyperelastic membrane of rubber-like material under internal pressure (1) 100
- Gurvich, Mark R.; Andonian, Archie T.; Kim, Soojaa L.: Hysteric energy loss in cord/rubber composites under 2-D cyclic loading (abs-F00#28) (1) 158
- Gustin, Christian and Pfeiffer, Joseph E.: Thermoplastic elastomers for flexible, halogen-free cables (abs-S01#43) (4) 738

- Haber, Andrew see Kolinski, Andrzej M.: (abs-F00#111) (1) 179
- Hahn, J.; Palloch, P.; Thelen, N.: Carbasulfanes as crosslinker for diene rubber---A model compound study (abs-S01#35) (4) 779
- Hahn, J.; Palloch, P.; Thelen, N.; Weidenhaupt, H. -J.: Reversison stable networks with polysulfide polymers as vulcanization agents (1) 28
- Hahn, James R. see Kwan, Kermit S.: (4) 630
- Haidar, B. see Dutta, N. K.: (2) 260
- Halasa, Adel F.: Yasuyuki Tanaka, Charles Goodyear Medalist---2001 (3) G51
- Hall, David E.; Moreland, J. Cal: Fundamentals of rolling resistance (review) (3) 525
- Hamed, G. R. and Preechatiwong, W.: Peel strength of uncrosslinked styrene--butadiene rubber adhered to polyester film (abs-S01#14) (4) 731
- Hamed, G. R. and Rattanason, N.: Effect of crosslink density on cut growth in gum natural rubber vulcanization (abs-F00#70) (1) 169
- Hannaford, Peter J.: Micro-ingredient preparations (abs-F00#72) (1) 169
- Hannon, M. J. see Hong, Sung W.: (abs-S01#37) (4) 736
- Hanson, Cindy: Applications of liquid polysulfide rubber (1) 160
- Harrell, E. R. see Nakajima, N.: (abs-S01#13) (4) 731
- Harrington, Brian: Uses of liquid polybutadiene resins in elastomers (abs-F00#13A) (1) 154
- Harrington, Daniel A. see Kwan, Kermit S.: (4) 630
- Heinrich, G. see Reinche, Katrin: (abs-S01#64) (4) 743
- Hendrix, Cebren see Shield, Stephanie R.: (5) 802
- Henning, Steven K. see Kerns, Michael L.: (abs-S01#52) (4) 740
- Hensel, M. see Stone, C. R.: (abs-F00#59) (1) 166
- Hergenrother, W. L. see Lin, Chen-Chy: (abs-S01#58) (4) 742
- Hilton, A. S. see Lin, Chen-Chy: (abs-S01#58) (4) 742
- Hong, Sung W.; Hannon, M. J.; Kounavis, J.; Green, P.: High molecular weight tetra-alkyl thiuram disulfide (TATD) in tire compounds to increase cure rate without sacrificing scorch safety and dynamic properties (abs-S01#37) (4) 736
- Hooker, Cindy and Vara, Rajan: A comparison of chlorinated and chlorosulfonated polyethylene elastomers with other materials for automotive fuel hose covers (abs-F00#128) (1) 185
- Hoong, Chang Kook and Isayev, A. I.: Ultrasonic devulcanization of unfilled SBR under static and continuous conditions (abs-F00#86) (1) 172
- Hormes, J. see Modrow, H.: (2) 281
- Howarth, Carl see Banning, Rob: (abs-F00#38) (1) 161
- Hu, W. see Tse, Mun F.: (abs-F00#94) (1) 175
- Hughes, Morgan see Parikh, Deepak: (abs-F00#124) (1) 183
- Hughes, Morgan see Walton, Kim: (abs-F00#125) (1) 184
- Hughes, Morgan M. see Walton, Kim L.: (4) 688
- Hulbert, Gregory see Kadowec, Jennifer: (2) 338
- Hung, W. J. see Gent, A. N.: (1) 89
- Ignatatz-Hoover, F. see To, Byron H.: (abs-S01#56) (4) 741
- Iio, S. see Kohjiya, S.: (1) 16
- Iio, S. see Kohjiya, S.: (abs-S01#60) (4) 742
- Ikeda, Y. see Kohjiya, S.: (1) 16
- Ikeda, Y. see Kohjiya, S.: (abs-S01#60) (4) 742
- Ilavsky, Jan see Chen, Chunyan: (abs-F00#56) (1) 165
- Isayev, A. I. see Hong, Chang Kook: (abs-F00#86) (1) 172
- Isayev, A. I. see Shim, Sang E.: (abs-F00#88) (1) 173
- Isayev, A. I. see Shim, Sang E.: (2) 303
- Isayev, A. I. see Yashin, V. V.: (abs-F00#90) (1) 174
- Isayev, A. I. see Yun, Jushik: (abs-F00#113) (1) 180
- Isayev, A. I. see Yun, Jushik: (2) 317
- Isono, Y. see Kawahara, Seiichi: (abs-S01#63) (4) 743
- Isono, Yoshino see Kawahara, Seiichi: (2) 295
- Italiaander, E. Tom see Paeglis, Arnis U.: (abs-F00#12) (1) 154
- Ito, H. see Kohjiya, S.: (abs-S01#60) (4) 742
- Ito, Masayoshi see Yatsuyanagi, Fumito: (abs-S01#54) (4) 740
- Jablonowski, Tom see Ohm, Bob: (abs-F00#99) (1) 176
- Jang, Kyeong-Jin and Kang, Ki-Ju: Methods for measuring the crack length in rubbery pure shear and SENT specimens (5) 871
- Jang, Sung Hoon see Quirk, Roderic P.: (abs-F00#121) (1) 182
- Janisek, Paulo R. see Denardin, Elton L.: (4) 622
- Jayaseelan, S. K. see vanOoij, W. J.: (abs-F00#5) (1) 152

- Jemian, Peter see Chen, Chunyan: (abs-F00#56) (1) 165
- Jensen, David W. see Peel, Larry D.: (abs-F00#30) (1) 159
- Johansson, Anders H. see Kellgren, John: (abs-F00#97) (1) 176
- Johnson, A. R.; Chen, T.; Mead, J. L.: Modeling step-strain relaxation and cyclic deformations of elastomers (abs-F00#49) (1) 164
- Johnson, Robert T.: Monte Carlo simulation of the peroxidis curing of ethylene elastomers (abs-F00#79) (1) 171
- Jones, Stephen A. see Sheard, Eric A.: (abs-F00#37) (1) 161
- Jutsovsky, Y. see Wang, Meng-Jiao: (abs-S01#55) (4) 741
- Kader, Abdul and Bhowmick, Anil K.: Novel thermoplastic elastomers from fluorocarbon elastomer, acrylate rubber and acrylate plastics (4) 662
- Kadlowec, Jennifer; Wineman, Alan; Hulbert, Gregory: Coupled response model for elastomeric bushings (2) 338
- Kaidou, Hiroyuki see Yatsuyanagi, Fumito: (abs-S01#54) (4) 740
- Kajornchaiyakul, V. see Vongpanish, Pratum: (abs-F00#95) (1) 175
- Kammerer, Klaus see Barager, Howard J.: (abs-F00#115) (1) 181
- Kanno, Hiroshi see Kubota, Isao: (abs-F00#126) (1) 184
- Kardan, Mahmoud: Adhesive and cohesive strength in polyisoprene/polychloroprene blends (abs-F00#107) (1) 179
- Kardan, Mahmoud: Adhesive and cohesive strength in polyisoprene/polychloroprene blends (4) 614
- Karmakar, Uday see Pannikottu, Abraham: (abs-F00#80) (1) 171
- Kaszas, Gabor and Tran, Binh: Synthesis, bromination and cure of isobutylene/isoprene/p-methylstyrene and isobutylene/isoprene/styrene terpolymers (abs-F00#104) (1) 178
- Kaszas, Gabor see Puskas, Judit E.: (4) 583
- Kaszas, Gabor see St. Lawrence, S.: (abs-F00#24) (1) 157
- Kaszas, Gabor see St. Lawrence, S.: (4) 601
- Kaszas, Gbor see Puskas, Judit E.: (abs-F00#3) (1) 152
- Katritzky, Alan R.; Odens, Herman H.; Voronkov, Michael V.; Rostek, Charles J.; Maender, Otto W.: Rubber chemicals derived from conjugate addition. I. Syntheses of novel 2-thio-5-amino substituted benzoquinones (5) 915
- Katritzky, Alan R.; Odens, Herman H.; Voronkov, Michael V.; Rostek, Charles J.; Maender, Otto W.: Rubber chemicals derived from conjugated addition. II. Synthesis of a novel class of benzoquinone diimines (5) 926
- Kawahara, Seiichi; Isono, Y.; Sakdapipanich, J. T.; Tanaka, Y.; Aik-hwee, E.: Effect of gel on the green strength of natural rubber (abs-S01#63) (4) 743
- Kawahara, Seiichi; Isono, Yoshinobu; Washino, Keiko; Morita, Roshiko; Tanaka, Yasuyuki: High-resolution in latex state ¹³C-NMR spectroscopy: Part II. Effect of particle size and temperature (2) 295
- Kawahara, Seiichi see Sakdapipanich, Jitladda T.: (abs-S01#20) (4) 732
- Keller, Robert C. see Bulawa, Michael C.: (abs-F00#117) (1) 181
- Kellgren, John and Johansson, Anders H.: Predispersions of peroxides and coagents (abs-F00#97) (1) 176
- Kenny, Jose M. see Lopez-Manchado, Miguel A.: (2) 198
- Kenny, Jose M. see Lopez-Manchado, Miguel A.: (2) 211
- Kerns, Michael L.; Xu, Z. Gene; Christian, Scott; Thomas, George: Synthesis of ranadom SIRs using distributed monomer feed systems (abs-F00#103) (1) 177
- Kerns, Michael L. and Henning, Steven K.: Synthesis and rheological characterization of branched *versus* linear solution styrene-butadiene rubber (abs-S01#52) (4) 740
- Khasgir, D. see Ghosh, Swapn K.: (5) 883
- Kim, D. K. see Bertelsen, C. M.: (abs-F00#7) (1) 153
- Kim, J. W. see Neri, Carlo: (abs-S01#41) (4) 738
- Kim, Soojaa L. see Gurvich, Mark R.: (5) 946
- Kim, Soojaa L. see Gurvich, Mark R.: (abs-F00#28) (1) 158
- Klosek, John M. see Coolbaugh, Thomas S.: (abs-F00#11) (1) 154
- Kohjiya, S.; Murakami, K.; Iio, S.; Ikeda, Y.; Ito, H.; Tosaka, M.: Effect of silane coupling agent on natural rubber filled with silica generated in situ (abs-S01#60) (4) 742
- Kohjiya, S.; Murakami, K.; Iio, S.; Tanahashi, T.; Ikeda, Y.: In situ filling of silica onto "green" natural rubber by the sol-gel process (1) 16
- Kolinski, Andrzej M.; Haber, Andrew; Schneckeburger, Mike; Carli, Mark: Towards total recyclability of tire derived materials (abs-F00#111) (1) 179
- Kontos, Emmanuel G.: International Rubber Science Hall of Fame Inductee, Wendell V. Smith, biog. (2) G28
- Kontos, Emmanuel G.: International Rubber Science Hall of Fame Inductee, Roswell H. Ewart, biog. (2) G30
- Kotian, Vijay and Laakso, Ray: Automotive primary wire development based on polyolefin elastomers (abs-S01#40) (4) 737
- Kounavis, J. see Hong, Sung W.: (abs-S01#37) (4) 736
- Kounavis, J. see Hong, Sung W.: (abs-S01#37) (4) 736
- Kubota, Isao and Kanno, Hiroshi: Improved heat and compression set resistant polyacrylate elastomers: Part A. Polymer development (abs-F00#126) (1) 184
- Kuriakosh, Baby see Vinod, V. S.: (2) 236
- Kutka, Joe see Lu, Y. Martin: (abs-F00#4) (1) 152

- Kwan, Kermit S.; Harrington, Daniel A.; Moore, Patricia A.; Hahn, James R.; Degroot, Jon V., Jr.; Burns, Gary T.: Synthesis and use of colloidal silica for reinforcement in silicone elastomers (4) 630
- Laakso, Ray see Kotian, Vijay: (abs-S01#40) (4) 737
- Lach, R. see Reinche, Katrin: (abs-S01#64) (4) 743
- Lahiri, Chitta see Ohm, Bob: (abs-F00#99) (1) 176
- Lake, G. J.: Application of fracture mechanics to crack growth in rubber-cord laminates (review) (3) 509
- Laube, S. see Wang, Meng-Jiao: (abs-S01#55) (4) 741
- Laube, Steve: A new Cabot carbon black for improved performance in peroxide cured injection molded compounds (abs-F00#98) (1) 176
- Laughner, Mike see Parikh, Deepak: (abs-F00#124) (1) 183
- Lé Mehauté, A.; Craveur, J.; Angoulvant, F.: The non-linear modelization of the behavior of elastomers (abs-S01#1) (4) 729
- Lé Mehauté, A.; Tsohngang, F.; Lado-Tourino, L.; Nivanen, L.: Advances in modelization: Toward theoretical engineering tools for filled rubbers industry (abs-S01#4) (4) 730
- Lé Mehauté, A. see Nivanen, L.: (abs-S01#2) (4) 729
- Lee, B. L.; Medzorian, J. P.; Chawla, M.: Fatigue of cord-rubber composites: IV. Frequency effects (abs-F00#32) (1) 159
- Lee, R. E. see Neri, Carlo: (abs-S01#41) (4) 738
- Leicht, D. C.; Yeoh, O. H.; Gent, A. N.; Padovan, J.; Mullen, R. L.: Adhesion failure in bonded rubber cylinders. Part I: Internal penny-shaped cracks (abs-F00#68) (1) 168
- Lesieutre, George A. see Ramrakhayani, Deepak S.: (abs-F00#29) (1) 158
- Lesser, Alan J. see Wright, Kathryn J.: (4) 677
- Lewan, M. V. see Campion, R. P.: (abs-S01#39) (4) 737
- Limper, A. and Schramm, D.: Better process description for the extrusion of silica and carbon black compounds (5) 898
- Lin, Chen-Chy; Hergenrother, W. L.; Hilton, A. S.: Mooney viscosity stability and polymer-filler interactions in silica-filled rubbers (abs-S01#58) (4) 742
- Liotta, R. see Dharmarajan, N.: (abs-F00#33) (1) 160
- Liu, H. S.; Mead, J. L.; Stacer, R. G.: Continuous *versus* batch processing of recycled rubber and plastic blends (abs-F00#112) (1) 180
- Liu, H. S. see Mead, J. L.: (abs-S01#28) (4) 734
- Logan, Brian M.: Intelligent tires for medium trucks (abs-S01#48) (4) 739
- Lohr, J. E. see McElwee, Clay B.: (abs-S01#34) (4) 735
- Long, Joan C.: The history of rubber—A survey of sources about the history of rubber (review) (3) 493
- Lopez-Manchado, M. A. and Arroyo, M.: Optimization of composites based on PP/elastomer blends and short PET fibers (2) 189
- Lopez-Manchado, Miguel and Kenny, Jose M.: Use of benzene-1,3-bis(sulfonyl)azide as crosslinking agent of TPVS type based on EPDM rubber-polyolefin blends (2) 198
- Lopez-Manchado, Miguel A.; Arroyo, Miguel; Kenny, Jose M.: New developments in dynamically cured PP-EPDM blends (2) 211
- Lu, Y. Martin and Kutka, Joe: Clear and high heat resistant TPEs (abs-F00#4) (1) 152
- Luginsland, Hans-Detlef; Froehlich, J.; Wehmeier, A.: Influence of different silanes on the reinforcement of silica-filled rubber compounds (abs-S01#59) (4) 742
- Maccone, Patrizia see Apostolo, Marco: (abs-F00#118) (1) 182
- MacKillop, Duncan A. see Myhre, Marvin J.: (abs-F00#110) (1) 179
- Maender, Otto W. see Katritzky, Alan R.: (5) 915
- Maender, Otto W. see Katritzky, Alan R.: (5) 926
- Magill, Richard and Rueger, Ute: Improved rubber processing for sealing systems using in-mold dielectric sensors (abs-F00#136) (1) 186
- Magill, Richard: Robust rubber processing using in-mold impedance sensors: Designed experiment with temperature and compound variation (abs-S01#38) (4) 737
- Mahmud, Khaled see Wang, Meng-Jiao: (1) 124
- Makmud, K. see Wang, Meng-Jiao: (abs-S01#55) (4) 741
- Manley, Paul and Smith, Charles T.: Improved heat and compression set resistant polyacrylate elastomers: Part B. Applications in engine and automatic transmission fluids requiring low compression stress relaxation (abs-F00#127) (1) 184
- Mark, James E. see Braun, Jennifer L.: (abs-F00#131) (1) 185
- Marlin, John E. see Coolbaugh, Thomas S.: (abs-F00#11) (1) 154
- Mars, W. V.: Cracking energy density as a predictor of fatigue life under multiaxial conditions (abs-F00#67) (1) 168
- Martel, Steve see Qureshi, Nadim: (abs-F00#2) (1) 151
- Martello, Gilbert: Multi-layer molding employing "The EstaGrip™ TPE system" (abs-F00#43) (1) 162
- Masakowski, Daniel D.: Fundamental process analysis in wire and cable manufacturing (abs-S01#45) (4) 739
- Mazzeo, Russ see Ohm, Bob: (abs-F00#99) (1) 176

- McBride, Edward see Barager, Howard J.: (abs-F00#115) (1) 181
- McCabe, Scott: Understanding color technology (abs-F00#25) (1) 157
- McElrath, K. O. see Tse, Mun F.: (abs-F00#94) (1) 175
- McElwee, Clay B. and Lohr, J. E.: Comparison of rubber curing systems: Peroxide-coagent vs. sulfur-accelerator (abs-S01#34) (4) 735
- McElwee, Clay B. see Costin, Richard: (abs-F00#77) (1) 171
- Mead, J. L.; Liu, H. S.; Tao, Z.: Insulation materials for wire and cable applications (abs-S01#28) (4) 734
- Mead, J. L. see Johnson, A. R.: (abs-F00#49) (1) 164
- Mead, J. L. see Liu, H. S.: (abs-F00#112) (1) 180
- Mead, J. L. see Xu, R.: (4) 701
- Medzorian, J. P. see Lee, B. L.: (abs-F00#32) (1) 159
- Mehta, M.; Verma, G.; Barry, C. M. F.; Stacer, R. G.: Bonding of thermoplastic elastomers to plastic during multi-component injection molding processes (abs-F00#42) (1) 162
- Mehta, Shaival see Tan, Ostin H. C.: (abs-F00#63) (1) 167
- Meiske, Larry see Parikh, Deepak: (abs-F00#124) (1) 183
- Meli, Gilles: The new micronized Mistron® talcs: New functions for extrusion and molding applications (abs-F00#17) (1) 155
- Menting, K.-H. see Stone, C. R.: (abs-F00#59) (1) 166
- Mitchell, James D.: New generation of vibratory feeders for fine mesh products (abs-F00#133) (1) 186
- Moakes, C. A.: The use of chemical additives to protect SBS rubbers against ozone attack (abs-F00#23) (1) 157
- Modrow, H.; Hormes, J.; Visel, F.; Zimmer, R.: Monitoring thermal oxidation of sulfur crosslinks in SBR-elastomers by quantitative analysis of sulfur K-edge XANES-spectra (2) 281
- Monnerie, L. see Clement, F.: (5) 846
- Monte, Salvatore J.: Applications of titanate and zirconate coupling agents in thermoplastics and thermoset elastomers---2001 (abs-S01#16) (4) 731
- Moore, Chris S. see Russell, David D.: (abs-F00#20) (1) 156
- Moore, Michael J.: Chlorination of natural rubber: Surface and failure analyses in a post-vulcanized bonded composite (abs-F00#6) (1) 152
- Moore, Michael J.: Cure studies of phenolic bonding agents using TGA, FTIR and contact angle (abs-S01#18) (4) 732
- Moore, Patricia A. see Kwan, Kermit S.: (4) 630
- Morawski, Jean-Claude see Guillet, Antoine: (abs-F00#58) (1) 166
- Moreland, J. Cal see Hall, David E.: (review) (3) 525
- Mori, Kentaro and Okamura, Sigeru: Vibration isolation characteristics of S-SBRblended with NR for engine mounts (abs-F00#105) (1) 178
- Morita, Toshiko see Kawahara, Seiichi: (2) 295
- Mottl, P. H.; Roland, C. M.: Aging of natural rubber in air and seawater (1) 79
- Muelhaupt, Rolf see Ganter, Markus: (2) 221
- Muhr, A. H. see Gregory, I. H.: (abs-F00#70) (1) 169
- Muhs, Joe see Banning, Rob: (abs-F00#38) (1) 161
- Mullen, R. L. see Leicht, D. C.: (abs-F00#68) (1) 168
- Murakame, K. see Kohjiya, S.: (1) 16
- Murakami, K. see Kohjiya, S.: (abs-S01#60) (4) 742
- Murphy, L. J. see Wang, Meng-Jiao: (abs-S01#55) (4) 741
- Muschiatti, Lawrence C. see Barager, Howard J.: (abs-F00#115) (1) 181
- Myhre, Marvin J. and MacKillop, Duncan A.: Compounding with regenerated crumb rubber. Part 1. (abs-F00#110) (1) 179
- Myler, U. see St. Lawrence, S.: (abs-F00#24) (1) 157
- Myler, U. see St. Lawrence, S.: (4) 601
- Nagel, Walter see Costin, Richard: (abs-F00#77) (1) 171
- Nagel, Walter see Costin, Richard: (abs-F00#100) (1) 177
- Nakajima, N. and Harrell, E. R.: Rheology of PVC plastisol---III Analyses of dilatancy and fracture (abs-S01#13) (4) 731
- Naskar, Amit Kumar; De, S. K.; Bhowmick, Anil K.: Surface chlorination of ground rubber tire and its characterization (4) 645
- Naveh, N.; Vittoser, J.; Glikman, Z.; Putzer, S.: Sensitivities in the production and design of EPDM rubber springs (abs-F00#106) (1) 178
- Nawamawati, Kanjaneer see Sakdapanich, Jitladda T.: (abs-S01#20) (4) 732
- Neri, Carlo; Riva, R. M.; Lee, R. E.; Pearson, Karen S.; Doumen, C.; Kim, J. W.: Stabilization of polyolefin compounds for wire and cable applications (abs-S01#41) (4) 738
- Niedermeier, Werner and Froehlich, J.: Influence of structure and specific surface area of soft carbon blacks on the electrical resistance of filled rubber compounds (abs-S01#68) (4) 744
- Nijhof, L. B. G. M. and Cubera, M.: Peroxide crosslinking of silicone compounds (abs-F00#116) (1) 181
- Nijman, Gerard: A fundamental approach of the cord calendaring process (4) 715

- Nikiel, Leszek; Gerspacher, Michel; Yang, Henry; O'Farrell, Charles P.: Filler dispersion, network density, and tire rolling resistance (2) 249
- Nishimura, Koichi see Ohishi, Takeshi: (abs-F00#130) (1) 185
- Nivanen, L. and Le Mehaute, A.: A new algebra from non-extensive statistical physics (abs-S01#2) (4) 729
- Nivanen, L. see Le Mehaute A.: (abs-S01#4) (4) 730
- Ohishi, Takeshi and Nishimura, Koichi: Epichlorohydrin rubber with improved processability and compression set
- O'Brien, Greg see Dennis, Gary M.: (abs-F00#21) (1) 156
- Odens, Herman H. see Katritzky, Alan R.: (5) 915
- Odens, Herman H. see Katritzky, Alan R.: (5) 926
- O'Farrell, Charles P. see Nikiel, Leszek: (2) 249
- Oh, Jeong Seok see Yun, Jushik: (abs-F00#113) (1) 180
- Oh, Jeong Seok see Yun, Jushik: (2) 317
- resistance for low hardness office copy roll applications (abs-F00#130) (1) 185
- Ohm, Bob; Annicelli, Ralph; Jablonowski, Tom; Lahiri, Chitta; Mazzeo, Russ: Optimizing the heat resistance of EPDM and NBR (abs-F00#99) (1) 176
- Okamura, Sigeru see Mori, Kentaro: (abs-F00#105) (1) 178
- Orroth, S. A. see Xu, R.: (4) 701
- Padovan, J. see Leicht, D. C.: (abs-F00#68) (1) 168
- Paeglis, Arnis U. and Italiaander E. Tom: Very low Mooney granular gas-phase EPDM (abs-F00#12) (1) 154
- Palloch, P. see Hahn, J.: (1) 28
- Palloch, P. see Hahn, J.: (abs-S01#35) (4) 779
- Pannikottu, Abraham; Sadon, Stan; Karmakar, Uday: Nonlinear finite element modeling of elastomer seals (abs--)(1) 171
- Pannikotu, Abraham: Service life prediction of elastomeric components used in severe service environments (abs-S01#23) (4) 733
- Parikh, Deepak; Hughes, Morgan; Laughner, Mike; Meiske, Larry; Vara, Rajan: Next generation of ethylene elastomers (abs-F00#124) (1) 183
- Parikh, Deepak see Walton, Kim: (abs-F00#125) (1) 184
- Parikh, Deepak R. see Walton, Kim L.: (4) 688
- Patel, Jagdish R. see Dees, Michiel: (abs-F00#14) (1) 154
- Patel, Raman see Qureshi, Nadim: (abs-F00#2) (1) 151
- Pearson, Karen S. see Neri, Carlo: (abs-S01#41) (4) 738
- Peel, Carol: Plastic reusable packaging in the rubber industry (abs-F00#50) (1) 164
- Peel, Larry D. and Jensen, David W.: Nonlinear modeling of fiber-reinforced elastomers and the response of a "rubber muscle" actuator (abs-F00#30) (1) 159
- Pehlert, G. J.; Dharmarajan, N. R.; Ravishankar, P. C.: Blends of EPDM and metallocene elastomers for wire and cable applications (abs-S01#29) (4) 734
- Persello, Jacques see Guillet, Antoine: (abs-F00#58) (1) 166
- Pfeiffer, Joseph E. see Giustin, Christian: (abs-S01#43) (4) 738
- Pfeiffer, Joseph E. see Rader, Charles P.: (abs-F00#44) (1) 163
- Pillai, Chandrasekaran R. and Chandra, Hari: Rubber recycling---Challenges and opportunities (abs-F00#85) (1) 172
- Pillai, Chandrasekaran R. see Chandra, Hari: (abs-F00#16) (1) 155
- Pinter, G. A. see Yeoh, O. H.: (abs-F00#84) (1) 172
- Plewacki, Duane: Guidelines for success in specifying bedding compounds (abs-S01#44) (4) 738
- Prasitpan, N. see Vongpanish, Pratun: (abs-F00#95) (1) 175
- Preechatiwong, W. see Hamed, G. R.: (abs-S01#14) (4) 731
- Przybylo, Philip A. see Wang, Yan: (4) 560
- Przybylo, Phillip A. see Wang, Yan: (abs-F00#48) (1) 163
- Puskas, J. E. see St. Lawrence, S.: (abs-F00#24) (1) 157
- Puskas, J. E. see St. Lawrence, S.: (4) 601
- Puskas, Judit E.; Kaszas, Gabor: Blends of butyl and bromobutyl rubbers and polystyrene-polybutylene-polyisobutylene (PS-PIB-PS) block copolymers (abs-F00#3) (1) 152
- Puskas, Judit E. and Kaszas, Gabor: Blends of butyl and bromobutyl rubbers and polystyrene-polyisobutylene-polyisobutylene (PS-PIB-PS) block copolymers with improved processability and physical properties (4) 583
- Putman, John and Arai, Masatoshi: Perfluoroether elastomer seal development (abs-S01#8) (4) 730
- Puttner, S. see Naveh, N.: (abs-F00#106) (1) 178
- Quirk, Roderic P. and Jang, Sung Hoon: Synthesis of hydroxy-functionalized liquid rubbers (abs-F00#121) (1) 182
- Qureshi, Nadim; Martel, Steve; Saunders, Keith; Batra, Jitender; Patel, Raman: New thermoplastic vulcanizates (TPVs) (abs-F00#2) (1) 151
- Rader, Charles P. and Pfeiffer, Joseph E.: Regulations and standards impacting uses of thermoplastic elastomers (abs-F00#44) (1) 163

- Ramrakhayani, Deepak, S.; Brackbill, Christian R.; Lesieutre, George A.; Smith, Edward C.: Nonlinear modeling of elastomeric materials for helicopter dampers (abs-F00#29) (1) 158
- Rattanason, N. see Hamed, G. R.: (abs-F00#70) (1) 169
- Ravishanker, P. C. see Pehlert, G. J.: (abs-S01#29) (4) 734
- Ray, Sudip and Bhowmick, Anil K.: Synthesis, characterization and properties of Montmorillonite clay-polyacrylate hybrid material and its effect on the properties of Engage-clay hybrid composite (5) 834
- Razzaghi-Kashani, M. see Gent, A. N.: (abs-F00#66) (1) 168
- Reichert, Peter see Ganter, Markus: (2) 221
- Reinche, Katrin; Lach, R.; Grellman, W.; Heinrich, G.: Characterization of crack toughness behavior of unfilled and filled elastomers (abs-S01#64) (4) 743
- Retzinger, Gregory S. see Chen, Chunyan: (abs-F00#56) (1) 165
- Ricardo, N. M. P. S. see Rodrigues, F. H. A.: (1) 57
- Riva, R. M. see Neri, Carlo: (abs-S01#41) (4) 738
- Rodrigues, F. H. A.; Santos, E. F.; Feitosa, J. P. A.; Ricardo, N. M. P. S.; dePaulus, R. C. M.: Ozonation of unstretched natural rubber: Part I. Effect of film thickness (1) 57
- Roland, C. M. see Mottl, P. H.: (1) 79
- Roland, C. M. see Santangelo, P. G.: (1) 69
- Roland, C. M.: Naval applications of elastomers (abs-S01#25) (4) 733
- Rostek, Charles J. see Katritzky, Alan R.: (5) 915
- Rostek, Charles J. see Katritzky, Alan R.: (5) 926
- Rueger, Ute see Magill, Richard: (abs-F00#136) (1) 186
- Ruiz, Ronald: Innovative developments in warehouse management (abs-F00#74) (1) 170
- Russell, David D. and Moore, Chris S.: New high performance aromatic TPU elastomers (abs-F00#20) (1) 156
- Sachlademan, James A. and Stockdale, Michael K.: Hydrocarbon resins in cured elastomer systems (abs-F00#93) (1) 174
- Sadeghi, Reza; Willems, Edwin; Brzskowski, Ryszard: Effect of polyamide grafted compatibilizer on the adhesion of thermoplastic vulcanizates to polyamide substrates (abs-F00#22) (1) 156
- Sadon, Stan see Pannikottu, Abraham: (abs-) (1) 171
- Sakdapipanih, J. T. see Kawahara, Seiichi: (abs-S01#63) (4) 743
- Sakdapipanih, Jitladda T.; Tanaka, Yasuyuki; Suchiva, Krisda; Nawamawat, Kanjamee; Kawahara, Seiichi: Structural characterization of the small rubber particles in fresh Hevea latex (abs-S01#20) (4) 732
- Samios, Dimitrios see Denardin, Elton L.: (4) 622
- Santiago, J. I. see Elrod, D. B.: (2) 331
- Santiangelo, P. G.; Roland, C. M.: The fatigue life of [i]Hevea [i] and guayule rubbers (1) 69
- Santos, E. F. see Rodrigues, F. H. A.: (1) 57
- Saunders, Keith see Qureshi, Nadim: (abs-F00#2) (1) 151
- Schaefer, Dale W. and Chen, Chunyan: Designing reinforcing fillers for elastomers. I. Baseline precipitated silica (abs-F00#55) (1) 165
- Schaefer, Dale W. see Chen, Chunyan: (abs-F00#56) (1) 165
- Scharf, John L.: Conditions of decoupling in-plane shear from a specified out-of-plane bending in laminated belts of three or more plies (abs-F00#27) (1) 158
- Schnekenburger, Mike see Kolinski, Andrzej M.: (abs-F00#111) (1) 179
- Schnell, Russell see Coughlin, Michael: (abs-S01#24) (4) 733
- Schrader, Scott D. and Wilhelmy, Viktor: TPV automotive weatherseal design: Glass run channel case study (abs-F00#39) (1) 161
- Schramm, D. see Limper, A.: (5) 898
- Schwartz, Gustavo Ariel: Prediction of rheometric properties of compounds by using artificial neural networks (1) 116
- Scott, Keith W. see Sheard, Eric A.: (abs-F00#37) (1) 161
- Sen, Tanner Zafer see Toki, Shigeyuki: (abs-S01#12) (4) 730
- Sheard, Eric A.; Jones, Stephen A.; Scott, Keith W.; Willoughby, Bryan G.: Cure mapping with the scanning VNC (abs-F00#37) (1) 161
- Shemensi, Robert M. see Su, Yea-Yang: (abs-F00#119) (1) 182
- Shield, Stephanie R.; Ghebremeskel, Ghebrehwet N.; Hendrix, Cebon: Pyrolysis-GC/MS and TGA as tools for characterizing blends of SBR and NBR (abs-S01#19) (4) 802
- Shim, Sang E. and Isayev, A. I.: Ultrasonic devulcanization of precipitated silica filled silicone rubber (abs-F00#88) (1) 173
- Shim, Sang E. and Isayev, A. I.: Ultrasonic devulcanization of precipitated silica-filled silicone rubber (2) 303
- Shinozaki, D. M. see St. Lawrence, S.: (abs-F00#24) (1) 157
- Shinozaki, D. M. see St. Lawrence, S.: (4) 601
- Shitazi, Fay see Coolbaugh, Thomas S.: (abs-F00-011) (1) 154
- Sigworth, William: Liquid EP(D)M polymers in mechanical goods formulation (abs-F00#9) (1) 153
- Sinclair, Ken: Packaging opportunities (abs-F00#52) (1) 165
- Smith, Charles T. see Manley, Paul E.: (abs-F00#127) (1) 184

- Smith, Edward C.** see Ramrakhayani, Deepak S.: (abs-F00#29) (1) 158
- Smith, P. F.** see Gladysz, Gary M.: (abs-F00#8) (1) 153
- St. Lawrence, S.; Shinozaki, D. M.; Gerchovich, M.; Myler, U.; Puskas, J. E.; Kaszas, Gabor:** Micromechanical testing of polyisobutylene-polystyrene block-type thermoplastic elastomers (4) 601
- St. Lawrence, S.; Shinozaki, D. M.; Puskas, J. E.; Gerchovich, M.; Myler, U.; Kaszas, Gabor:** Micromechanical testing of polyisobutylene-polystyrene block type thermoplastic elastomers (abs-F00#24) (1) 157
- Stacer, R. G.** see Liu, H. S.: (abs-F00#112) (1) 180
- Stacer, R. G.** see Mehta, M.: (abs-F00#42) (1) 162
- Stacer, R. G.** see Xu, R.: (4) 701
- Stephens, Howard** see Chyi, L. L.: (abs-F00#89) (1) 173
- Stephenson, Nigel** see Gradwell, Michael H. S.: (1) 44
- Stockdale, Michael K.** see Schladerman, James A.: (abs-F00#93) (1) 174
- Stone, C. R.; Menting, K.-H.; Hensel, M.:** Optimizing the use of disulfide silane in a silica "green tire" tread compound (abs-F00#59) (1) 166
- Su, Yeo-Yang and Shemanski, Robert M.:** Quantitative evaluation of steel reinforcement to rubber adhesion by electrochemical methodology (abs-F00#119) (1) 182
- Suchiva, K.** see Vongpanish, Pratun: (abs-F00#95) (1) 175
- Suchiva, Krisda** see Sakdapipanich, Jitladda T.: (abs-S01#20) (4) 732
- Suzuki, Nozomu** see Yatsuyanagi, Fumito: (abs-S01#54) (4) 740
- Talma, A. G.; Datta, R. N.; Aerts, J.:** Quantum-mechanical calculations to assess the antireversion effects of several dienophiles (4) 574
- Tan, Ostin H. C. and Mehta, Shaival:** New TPE bonding technology and various over-molding processes combine for creative cost-effective TPV applications (abs-F00#63) (1) 167
- Tanahashi, T.** see Kohjiya, S.: (1) 16
- Tanaka, Y.** see Kawahara, Seiichi: (abs-S01#63) (4) 743
- Tanaka, Yasuyuki** see Kawahara, Seiichi: (2) 295
- Tanaka, Yasuyuki** see Sakdapipanich, Jitladda T.: (abs-S01#20) (4) 732
- Tanaka, Yasuyuki:** Structural characterization of natural polyisoprenes: Solve the mystery of natural rubber based on structural study (3) 355
- Tao, Z.** see Mead, J. L.: (abs-S01#28) (4) 734
- Terrill, Edward R.** see Gillen, Kenneth T.: (review) (3) 428
- Thelen, N.** see Hahn, J.: (1) 28
- Thelen, N.** see Hahn, J.: (abs-S01#35) (4) 779
- Thomas, A. G.** see Tsunoda, K.: (abs-S01#65) (4) 744
- Thomas, Eric** see Bowers, Steve: (abs-F00#15) (1) 155
- Thomas, George** see Kerns, Michael L.: (abs-F00#103) (1) 177
- Tisler, Andrew:** Improved processing with thermoplastic bound silane coupling agents (abs-S01#53) (4) 740
- To, Byron H.; Ignatz-Hoover, F.; Anthoine, G.:** Fate of chemical additives migration in rubber (abs-S01#56) (4) 741
- Toki, Shigeyuki; Sen, Tanner Zafer; Valladares, David; Cakmak, Miko:** True stress, true strain and real time birefringence development of orientation in natural rubber during uniaxial stretching as detected by spectral birefringence technique (abs-S01#12) (4) 730
- Tosaka, M.** see Kohjiya, S.: (abs-S01#60) (4) 742
- Tran, Binh** see Kaszar, Gabor: (abs-F00#104) (1) 178
- Truong, Q. T.** see Xu, R.: (4) 701
- Tse, M. F.** see Gent, A. N.: (1) 89
- Tse, Mun F.; McElrath, K. O.; Wang, H.-C.; Hu, W.:** Adhesion between dissimilar elastomers: II. Effects of bonding temperature and brominated resin (abs-F00#94) (1) 175
- Tsimpris, C. W.; Wartalski, J.; Ferradino, A. G.:** Kevlar® brand engineered elastomer---An enabler for the rubber industry (abs-F00#19) (1) 156
- Tsobnang F.** see Le Mehaute A.: (abs-S01#4) (4) 730
- Tsunoda, K.; Busfield, J. J. C.; Davies, C. K. L.; Thomas, A. G.:** Contributions of time dependent and cyclic crack growth to the crack growth behavior of non-strain crystallizing elastomers (abs-S01#65) (4) 744
- Valladares, David** see Toki, Shigeyuki: (abs-S01#12) (4) 730
- Van Duin, Martin** see Antony, Prince: (review) (3) 376
- Van Duin, Martin:** Mechanical and elastic properties of sulfur vulcanized EPDM as a function of third monomer content (1) 138
- Van Ooij, W. J. and Jayaseelan, S. K.:** New developments in rubber-steel bonding processes (abs-F00#5) (1) 152
- Van Ooij, W. J.** see Vidal, E.: (abs-F00#91) (1) 174
- Vara, Rajan** see Hooker, Cindy: (abs-F00#128) (1) 185
- Vara, Rajan** see Parikh, Deepak: (abs-F00#124) (1) 183
- Varghese, Siby** see Vinod, V. S.: (2) 236
- Varma-Nair, Mannika** see Dharmarajan, N.: (abs-F00#33) (1) 160

- Verma, G. see Mehta, M.: (abs-F00#42) (1) 162
- Vidal, A. see Dutta, N. K.: (2) 260
- Vidal, E.; Borros, S.; Agullo, N.; van Ooij, W. J.: Effect of CBS surface treatment on its reactivity in rubber vulcanization (abs-F00#91) (1) 174
- Vinod, V. S.; Varghese, Siby; Alex, Rosamma; Kuriakose, Baby: Effect of aluminum powder on filled natural rubber composites (2) 236
- Visel, F. see Modrow, H.: (2) 281
- Vittoser, J. see Naveh, N.: (abs-F00#106) (1) 178
- Vongpanish, Pratun; Coran, A. Y.; White, J. L.; Kajornchaiyakul, V.; Suchiva, K.; Prasitpam, N.: Engineering polymer blends based upon phenolic modified polyolefins (abs-F00#95) (1) 175
- Voronkov, Michael V. see Katritzky, Alan R.: (5) 915
- Voronkov, Michael V. see Katritzky, Alan R.: (5) 92
- Wakker, J. Peter and de Groot, Jan J.: Safe use of organic peroxides for crosslinking (abs-F00#76) (1) 170
- Walter, J. D.: Mechanics of cord-reinforced rubber composites (A Review) (abs-F00#26) (1) 158
- Walton, Kim; Hughes, Morgan; Parikh, Deepak: A new class of ethylene-propylene-diene terpolymer produced from constrained geometry metallocene catalysts (abs-F00#125) (1) 184
- Walton, Kim L.; Hughes, Morgan M.; Parikh, Deepak R.: A new class of ethylene-propylene-diene terpolymers produced from constrained geometry metallocene catalysts (4) 688
- Wang, H. -C. see Tse, Mun F.: (abs-F00#94) (1) 175
- Wang, M. D. and Cakmak, M.: Basic studies on development of structure hierarchy in tubular film blown dynamically vulcanized PP/EPDM blend (5) 745
- Wang, M. D. and Cakmak, M.: Influence of processing history and composition on the basic structure and biaxial deformation behavior in dynamically vulcanized PP/EPDM blends (5) 761
- Wang, Meng-Jiao; Jutovsky, Y.; Zhang, P.; Murphy, L. J.; Laube, S.; Mahmud, K.: New generation carbon-silica dual phase filler Part I. Characterization and application to passenger tire (abs-S01#55) (4) 741
- Wang, Meng-Jiao; Zhang, Ping; Mahmud, Khaled: Carbon-silica dual phase filler, a new generation reinforcing agent for rubber: Part IX. Application to truck tire tread compound (1) 124
- Wang, Shuhong see Coughlin, Michael: (abs-S01#24) (4) 733
- Wang, Yan; Arruda, Ellen M.; Przybylo, Phillip A.: Characterization and constitutive modelling of a plasticized poly(vinyl chloride) for a broad range of strain rates (4) 560
- Wang, Yan; Arruda, Ellen M.; Przybylo, Phillip A.: Characterization and constitutive modeling of a plasticized Poly(vinyl chloride) for a broad range of strain rates (abs-F00#48) (1) 163
- Wang, Yi-Feng see Ganter, Beate: (abs-F00#132) (1) 186
- Wang, Yundong and Willems, Edwin: Effect of vinyl silane grafted polypropylene on foamability of thermoplastic vulcanizate containing a water releasing compound (abs-F00#41) (1) 162
- Wartalski, J. see Tsimpris, C. W.: (abs-F00#19) (1) 156
- Washino, Keiko see Kawahara, Seiichi: (2) 295
- Wehmeier, A. see Luginsland, Hans-Detlef: (abs-S01#59) (4) 742
- Weidenhaupt, H. -J. see Hahn, J.: (1) 28
- White, J. L. see Vongpanish, Pratun: (abs-F00#95) (1) 175
- Wilhelm, Walter C.: Aqueous vs solvent based coating for functionalized and high-slip automotive weatherstrip applications (abs-F00#122) (1) 183
- Wilhelmy, Viktor see Schrader, Scott D.: (abs-F00#39) (1) 161
- Willems, Edwin see Wang, Yundong: (abs-F00#41) (1) 162
- Williams, J. F. see Elrod, D. B.: (2) 331
- Willoughby, Bryan G. see Sheard, Eric A.: (abs-F00#37) (1) 161
- Wineman, Alan see Kadowec, Jennifer: (2) 338
- Winter, Robb M. see Gillen, Kenneth T.: (review) (3) 428
- Witte, Jay see Clark, Ronald C.: (abs-F00#82) (1) 171
- Wood, Michael E. see Files, Edmee: (abs-F00#102) (1) 177
- Worley, S. D. see Elrod, D. B.: (2) 331
- Wright, Kathryn J. and Lesser, Alan J.: Initial development of structure-property relationships for dynamically vulcanized EPDM/IPP elastomers (4) 677
- Wu, Yun-Tai see Barager, Howard J.: (abs-F00#115) (1) 181
- Xu, James see Boggs, Steven: (abs-S01#42) (4) 738
- Xu, R.; Mead, J. L.; Orroth, S. A.; Stacer, R. G.; Truong, Q. T.: Barrier properties of thermoplastic elastomer films (4) 701
- Xu, Z. Gene see Kerns, Michael L.: (abs-F00#103) (1) 177
- Yang, Arthur J. -M. see Chen, Chunyan: (abs-F00#56) (1) 165
- Yang, Henry see Nikiel, Leszek: (2) 249
- Yashin, V. V. and Isayev, A. I.: A model for rubber degradation under ultrasonic treatment: Part III. The effect of thermal degradation (abs-F00#90) (1) 174

- Yatsuyanagi, Fumito; Kaidou, Hiroyuki; Suzuki, Nozomu; Ito, Masayoshi:** Relationship between secondary structure of fillers and the mechanical properties of silica filled rubber systems (abs-S01#54) (4) 740
- Yeoh, O. H.; Pinter, G. A.; Banks, H. T.:** Compression of bonded rubber blocks (abs-F00#84) (1) 172
- Yeoh, O. H.** see Leicht, D. C.: (abs-F00#68) (1) 168
- Yun, Jushik; Oh, Jeong Seok; Isayev, A. I.:** Ultrasonic devulcanization reactors for recycling of GRT: Comparative study (abs-F00#113) (1) 180
- Yun, Jushik; Oh, Jeong Seok; Isayev, A. I.:** Ultrasonic devulcanization reactors for recycling of GRT: Comparative studies (2) 317
- Zeitler, John** see Garrison, Tracy: (abs-F00#54) (1) 165
- Zhang, P.** see Wang, Meng-Jiao: (abs-S01#55) (4) 741
- Zhang, Ping** see Wang, Meng-Jiao: (1) 124
- Zhao, J.; Ghebremeskel, G. N.:** A review of some of the factors affecting fracture and fatigue in SBR and BR vulcanizates (review) (3) 409
- Zhao, J. and Ghebremeskel, G.:** Effect of carbon--polymer gel on the processability and vulcanizate properties of carbon black masterbatch (abs-S01#62) (4) 743
- Zimmer, R.** see Modrow, H.: (2) 281

SUBJECT INDEX*

- Accelerators, modifying performance of sulfenamides with thiurams (abs-S01#33) (4) 735
- ACM (acrylate rubber), blends with FKM and TMPTA as thermoplastic elastomer (4) 662
- ACM (Polyacrylate elastomers), with improved heat and compression set resistance (abs-F00#126) (1) 184
- Acrylic coagents, for wire and cable applications (abs-S01#30) (4) 734
- Adhesion failure, in bonded rubber cylinders, study of internal penny-shaped cracks (abs-F00#68) (1) 168
- Adhesion strength, in polyamide injection over-molding and co-extrusion with TPVs, improved by polyamide grafted compatibilizer (abs-F00#22) (1) 156
- Adhesion, between dissimilar elastomers, effect of bonding temperature and brominated resin (abs-F00#94) (1) 175
- Adhesion, of rubber to steel, measuring by electrochemical means (abs-F00#119) (1) 182
- Adhesive and cohesive strength, of blends of IR and CR (abs-F00#107) (1) 179
- Adhesive and cohesive strength, of NR/IR blends (4) 614
- Aerospace elastomers, quality and uniformity (abs-S01#7) (4) 730
- AFM (Atomic Force Microscopy), limitations for studying contact during force imaging of filled rubber (abs-F00#60) (1) 167
- Aging, dynamic, measured by Rubber Process Analyzer (abs-F00#96) (1) 176
- Aluminum powder, effect on filled NR composites (2) 236
- Analytical chemistry, for solving problems in rubber formulation (abs-F00#101) (1) 177
- Anelastic Displacement Field approach, to time-domain model for helicopter damper material (abs-F00#29) (1) 158
- Antioxidant selection, for peroxide cure elastomers (abs-S01#31) (4) 735
- Antireversion effects, of dienophiles in the Diels-Alder reaction, quantum mechanical calculations for (4) 574
- Aramid pulp-elastomer composite, for engineered elastomers (abs-F00#19) (1) 156
- Aromatic chain extenders, for making high performance TPUs (abs-F00#20) (1) 156
- Artificial neural network, for evaluating rheometric properties of rubber compounds from their formulations[†] Rheometric properties, of rubber compounds predicted by using artificial neural ne (1) 116
- Automatic transmission fluids, polyacrylate elastomers developed for use in (abs-F00#127) (1) 184
- Automotive fuel hose covers, from chlorinated and chlorosulfonated polyethylene (abs-F00#128) (1) 185
- Automotive weatherseal, glass run channel, from thermoplastic vulcanizate (abs-F00#39) (1) 161
- Bag-in-a-Bag[™] technology, for cure-blends (abs-F00#54) (1) 165
- Barrier properties, of thermoplastic elastomer films (4) 701
- Base resistant fluorocarbon elastomers (abs-F00#118) (1) 182
- Batch inclusion bags, for the rubber industry (abs-F00#53) (1) 165
- Bedding compounds, for wire and cable, guidelines for successful specifying (abs-S01#44) (4) 738
- Benzene-1,3-bis(sulfonyl)azide, as crosslinking agent for EPDM rubber-polyolefin blends (2) 198
- Benzoquinone diimines, prepared from *N*-(1,3-dimethylbutyl)-*N'*-phenyl-1,4-diimine (5) 926
- Benzothiazole sulfenamides, accelerators for SBR/BR and NR, action enhanced by thiuram monosulfides (abs-S01#33) (4) 735
- Best Paper Awards, Spring 2000 (1) G05
- Bibliographic survey, of sources for history of rubber (review) (3) 493
- Bicycle tires, technology for producing dual density pneumatic type (abs-F00#138) (1) 186
- BIMS ([brominated poly(isobutylene-co-4-methylstyrene)], adhesion to diene elastomers, effect of temperature and brominated resins (abs-F00#94) (1) 175
- Biocidal elastomer, made by attaching halogenated hydantoin moieties to aromatic ring of styrene block (2) 331
- 2-bis(benzothiazole-2,2'-disulfide), accelerator, use of prevulcanization inhibitor for (1) 44
- Blends of IR and CR, adhesive and cohesive strength (abs-F00#107) (1) 179
- Blends, of ACM, FCM and multifunctional acrylates, as thermoplastic elastomers (4) 662
- Blends, of butyl and bromobutyl rubber with PS-PIB-PS block copolymers (abs-F00#3) (1) 152
- Blends, of butyl and bromobutyl rubbers with PS-PIB-PS triblock polymers (4) 583
- Blends, of EPDM and metallocene elastomers for wire and cable (abs-S01#29) (4) 734
- Blends, of EPDM and polyolefins, crosslinked with benzene-1,3-bis(sulfonyl)azide (2) 198
- Blends, of EVA and LDPE, by electron beam modification (5) 814
- Blends, of metallocene polyolefins (Engage) with LDPE, by electron beam modification (5) 814
- Blends, of NR/CR, adhesive and cohesive strength (4) 614
- Blends, of NR:BR rubber, relationship between mixing methods, microstructure and strength (1) 1

*Prepared by Lois W. Brock

- Blends, of PP and elastomers with short PET fibers, optimization of composites containing (2) 189
- Blends, of PP and EPDM, dynamically cured (2) 211
- Blends, of recycled rubber and plastics, continuous vs. batch processing (abs-F00#112) (1) 180
- Blends, of rubbers or rubber/thermoplastic, self-crosslinking (review) (3) 376
- Blends, of SBR and NBR, characterizing by pyrolysis-GC/MS and TGA (abs-S01#19) (4) 802
- Blends, of S-SBR and NR, for engine mounts (abs-F00#105) (1) 178
- Blends, of virgin and devulcanized silica-filled silicone rubbers (2) 303
- Bonded rubber blocks, fracture and stress analysis in simple shear (abs-F00#70) (1) 169
- Bonding temperature, effect on adhesion between dissimilar elastomers (abs-F00#94) (1) 175
- Bonding, of rubber to steel, new developments (abs-F00#5) (1) 152
- Bonding, of TPEs to plastic during multi-component injection molding (abs-F00#42) (1) 162
- Bonding, of TPV, improved by use of new alloys (abs-F00#63) (1) 167
- BR and SBR vulcanizates, reinforced by organophilic layered silicates (2) 221
- BR, factors affecting fracture and fatigue (review) (3) 409
- Branching, in solution SBR, probable cause (abs-S01#52) (4) 740
- Brominated resin, effect on adhesion between BIMS and diene elastomers (abs-F00#94) (1) 175
- Bromination, of isobutylene/isoprene/*p*-methylstyrene and isobutylene/isoprene/styrene terpolymers (abs-F00#104) (1) 178
- Bushings, elastomeric, coupled response model for (2) 338
- Butyl and bromobutyl rubber, blends with PS-PIB-PS block copolymers (abs-F00#3) (1) 152
- Cable insulation, filled vs. unfilled, electrochemical degradation of (abs-S01#42) (4) 738
- Cable insulation, from blends of EPDM and metallocene plastomers (abs-S01#29) (4) 734
- Cable, testing flammability using limiting oxygen index (abs-S01#32) (4) 735
- Cables, from halogen free thermoplastic olefinic polymers (abs-S01#43) (4) 738
- Calender model, based on flow in the nip of two rolls (4) 715
- Calender roll wear, understanding patterns of (4) 715
- Carbasulfanes, as crosslinker for diene rubber, model compound study (abs-S01#35) (4) 779
- Carbon black masterbatch, effect of carbon-polymer gel on processability and properties (abs-S01#62) (4) 743
- Carbon black, better process for extrusion of materials containing (5) 898
- Carbon black, effect of type on volume resistivity of EPDM compound (abs-F00#123) (1) 183
- Carbon black, for peroxide cured injection molded compounds (abs-F00#98) (1) 176
- Carbon black, structure and specific surface area, effect on electrical resistance of rubber compounds (abs-S01#68) (4) 744
- Carbon black-filled SBR, structure and formation mechanism of carbon gel (2) 260
- Carbon-silica dual phase filler, for reinforcing truck tire treads (1) 124
- Carbon-silica filler, dual phase, for passenger tires (abs-S01#55) (4) 741
- Catalyst-inhibitor system, for making new generation of addition curing silicone rubbers (abs-F00#132) (1) 186
- CBp (pyrolyzed carbon black), from waste tire and scrap rubber, as reinforcing filler (abs-F00#114) (1) 180
- CBS (Cyclohexylbenzothiazole sulfenamide), effect of surface treatment on reactivity in rubber vulcanization (abs-F00#91) (1) 174
- CGC (constrained geometry catalyst) for making polyolefins to be used in wire and cable (abs-S01#40) (4) 737
- Chain orientation, a linear function of deformation during stretching of NR (abs-S01#12) (4) 730
- Charles Goodyear Medal Award, 2001, to Yasuyuki Tanaka (3) G51
- Chemistry of Thermoplastic Elastomers Award, 2001, to James E. McGrath (3) G49
- Chlorination, of finely ground scrap tires (4) 645
- Chlorination, of NR, surface and failure analyses in post-vulcanized bonded composite (abs-F00#6) (1) 152
- Clay-polyacrylate hybrid, blended with Engage (polyolefin) (5) 834
- CLCB (Controlled Long Chain Branching) technology, for making sponge grade EPDM (abs-F00-14) (1) 154
- ¹³C-NMR spectroscopy, high resolution latex state, effect of particle size and temperature (2) 295
- Coagent, for organic peroxide cure of elastomers (abs-F00#77) (1) 171
- Coatings, for high-slip weatherstrip applications, aqueous vs. solvent based (abs-F00#122) (1) 183
- Color technology, influence of filler particle size and compounding melt temperature (abs-F00#25) (1) 157
- Compatibilizer, for improving adhesion in polyamide over-molding and co-extrusion with TPVs (abs-F00#22) (1) 156
- Compounding ingredients, migration before, during and after vulcanization (abs-S01#56) (4) 741
- Compounding, with regenerated crumb rubber (abs-F00#110) (1) 179
- Compressibility, of elastomers at finite deformations, model for (4) 541
- Compression molding, of pulverized waste rubber (abs-F00#87) (1) 173
- Compression, of bonded rubber blocks (abs-F00#84) (1) 172
- Computer modeling, of rubber products, for optimizing products (abs-F00#47) (1) 163
- Computer simulation, of polydimethylsiloxane networks (abs-F00#131) (1) 185
- Constrained geometry catalysts, in making highly crystalline EPDM terpolymers (4) 688
- Containers, durable and lightweight, from flexible fabric, film, or paper, that collapse when empty (abs-F00#51) (1) 164

- Continuous compression stress relaxation test, for elastomer seals (1) 171
- Continuous vs. batch processing, of recycled rubber and plastic blends (abs-F00#112) (1) 180
- Cord calendaring, fundamental approach to the process (4) 715
- Cord/rubber composites, hysteresis energy loss under 2-D cyclic loading (5) 871
- Cord/rubber composites, hysteretic energy loss under 2-D cyclic loading (abs-F00#28) (1) 158
- Cord-rubber composites, fatigue, effect of frequency (abs-F00#32) (1) 159
- Cord-rubber composites, review (abs-F00#26) (1) 158
- Coupled bushing response, in simulation of automotive suspensions (2) 338
- CR (Chloroprene) blends with NR, adhesive and cohesive strength (4) 614
- CR (polychloroprene), blends with IR, adhesive and cohesive strength (abs-F00#107) (1) 179
- CR, study of thermal degradation by TGA (4) 622
- Crack growth rate, at compression corners of bonded rubber blocks (abs-F00#70) (1) 169
- Crack growth, in rubber--cord laminates, application of fracture mechanics (review) (3) 509
- Crack growth, time dependent and cyclic, in SBR (abs-S01#65) (4) 744
- Crack toughness behavior, of filled and unfilled elastomers (abs-S01#64) (4) 743
- Cracking energy density, as predictor of fatigue life (abs-F00#67) (1) 168
- Cracks, internal penny-shaped, in bonded rubber cylinders, studied to analyze bond failure (abs-F00#68) (1) 168
- Crosslink density, effect on cut growth in NR vulcanization (abs-F00#70) (1) 169
- Crosslinkers, for diene rubbers, model compound study using carbasulfanes (abs-S01#35) (4) 779
- Crosslinking agent, for EPDM rubber-polyolefin blends, benzene-1,3-bis(sulfonyl)azide as (2) 198
- Cure mapping, for one-shot liquid rubber or cast rubber, with the scanning VNC (abs-F00#37) (1) 161
- Cure rates, for Vamac® dipolymers and terpolymers, increased by use of peroxides (abs-F00#115) (1) 181
- Cure studies, of phenolic bonding agents, using TGA, FTIR and contact angle (abs-S01#18) (4) 732
- Cure-blend, for use in rubber industry (abs-F00#54) (1) 165
- Cut growth, of NR, as affected by crosslink density (abs-F00#70) (1) 169
- Cyclic compressive deformation, of short elastomer cylinders, modeling (abs-F00#49) (1) 164
- Cylinders, bonded rubber, internal penny-shaped cracks studied for analyzing bond failure (abs-F00#68) (1) 168
- Cylinders, elastomer, modeling step-strain relaxation and cyclic deformations (abs-F00#49) (1) 164
- Decoupling, of in-plane shear, from specified out-of-plane bending in laminated multi-ply belts (abs-F00#27) (1) 158
- Deformation analysis, of cylindrical hyperelastic membrane under internal pressure (1) 100
- Deformation, finite, model for compressibility of elastomers at (4) 541
- Detachment, free energy, as affected by swelling of constrained rubber layers (1) 89
- Devulcanization, of ground tire scrap, in continuous ultrasonic reactors (2) 317
- Devulcanization, of silica filled silicone rubber, by ultrasonic reactor (abs-F00#88) (1) 173
- Devulcanization, of unfilled SBR, under static and continuous conditions, by ultrasonic treatment (abs-F00#86) (1) 172
- Devulcanization, ultrasonic, of precipitated silica-filled silicone rubber (2) 303
- Diels-Alder reaction, effect of various dienophiles assessed by quantum mechanical calculations (4) 574
- Diene block copolymers, low molecular weight, with regiospecific sites of isoprene-derived unsaturation (abs-F00#11) (1) 154
- Diene rubbers, model compound study of carbasulfane as crosslinker for (abs-S01#35) (4) 779
- Dienophiles, assessing antireversion effects by quantum mechanical calculations (4) 574
- Dilatancy and fracture, in study of PVC rheology (abs-S01#13) (4) 731
- Dimethylolphenolic resin, as modifier for polyolefins, under melt conditions (abs-F00#95) (1) 175
- Distributed monomer feed system, for making high styrene SIRs of random composition (abs-F00#103) (1) 177
- Disulfide silane, used with sulfur in tire tread rubber from S-SBR/BR (abs-F00#59) (1) 166
- DSC (differential scanning calorimetry), for evaluating crosslinking in EPDM and BR (5) 745
- Durability review, for elastomer components in oil-field engineering (abs-S01#27) (4) 734
- Dynamic aging, of vulcanizates, using rubber process analyzer (abs-F00#96) (1) 176
- Dynamically cured blends, of PP and EPDM, with thermally stable, three-dimensional networks (2) 211
- E-business, impact on thermoplastic elastomer industry (abs-F00#62) (1) 167
- ElastoFlo® gas phase ethylene-propylene rubber polymerization technology extended to EPDM (abs-F00#12) (1) 154
- Electrical resistance, influence of structure and surface area in filled rubbers (abs-S01#68) (4) 744
- Electrochemical degradation, of filled vs. unfilled dielectric cable insulation (abs-S01#42) (4) 738
- Electrochemical method, for measuring rubber-to-steel adhesion (abs-F00#119) (1) 182
- Electrochemical resistance, of EPDM automotive cooling hoses, peroxide cured (abs-F00#117) (1) 181
- Electron beam technology, for making blends of polyolefins and ethylene-vinyl acetate copolymers (5) 814
- Energy release, for a crack in a tilted block (abs-F00#66) (1) 168
- Engage polyolefin, blended with hybrid of Montmorillonite clay--polyacrylate (5) 834
- Engine mounts, from blends of S-SBR and NR (abs-F00#105) (1) 178
- Engineered elastomers, from aramid pulp--elastomer composites (abs-F00#19) (1) 156
- EPDM blends, with polyolefins, crosslinked by benzene-1,3-bis(sulfonyl)azide (2) 198

- EPDM polymers, made using constrained geometry metallocene catalysts (4) 688
- EPDM rubber, sponge grade, made by CLCB (Controlled Long Chain Branching technology (abs-F00#14) (1) 154
- EPDM, blends with metallocene plastomers for wire and cable (abs-S01#29) (4) 734
- EPDM, developed through metallocene catalysts (abs-F00#124) (1) 183
- EPDM, effect of type of carbon black on volume resistivity (abs-F00#123) (1) 183
- EPDM, evaluating robustness to variations in composition and processing, in production of springs (abs-F00#106) (1) 178
- EPDM, for cooling hoses, electrochemical resistance of peroxide cured (abs-F00#117) (1) 181
- EPDM, highly crystalline, made using constrained geometry metallocene catalysts (abs-F00#125) (1) 184
- EPDM, liquid, in mechanical goods (abs-F00#9) (1) 153
- EPDM, low viscosity, for injection molding, compound optimization (abs-F00#33) (1) 160
- EPDM, optimizing heat resistance (abs-F00#99) (1) 176
- EPDM, sulfur vulcanized, properties as a function of third monomer content (1) 138
- EPDM, very low Mooney, granular, by gas-phase technology (abs-F00#12) (1) 154
- EPDM/IPP elastomers, dynamically vulcanized, structure-property relationships (4) 677
- Epichlorohydrin rubber, with improved processability and compression set resistance, for office copy rolls (abs-F00#130) (1) 185
- EstaGrip™ TPE system, for multi-layer molding (abs-F00#43) (1) 162
- Ewart, Roswell E., inducted into International Rubber Science Hall of Fame, biog. (2) G30
- Extrusion melt fracture, in processing wires and cables (abs-S01#45) (4) 739
- Extrusion, of silica and carbon black compounds, better process development (5) 898
- Fatigue life, as predicted by cracking energy density (abs-F00#67) (1) 168
- Fatigue life, of *Hevea* and guayule rubbers (1) 69
- Fatigue, of cord-rubber composites, relation to frequency (abs-F00#32) (1) 159
- FEA) models, for studying indenter-sample contact during force imaging of filled rubber (abs-F00#60) (1) 167
- FIBC (Flexible Intermediate Bulk Containers), water-resistant, fiber free (abs-F00#51) (1) 164
- Fiber surface treatment, effect in interfacial bonding of silicone elastomers (abs-F00#8) (1) 153
- Fiber-reinforced elastomers, for rubber muscle actuators, nonlinear modeling (abs-F00#30) (1) 159
- Filament orientation, of TPEs, effect on stress-strain curve (abs-F00#40) (1) 161
- Filled rubbers, influence of structure and specific area of soft carbon black on electrical resistance (abs-S01#68) (4) 744
- Filled rubbers, modelization for theoretical engineering studies of (abs-S01#4) (4) 730
- Filled vs. unfilled dielectric cable insulation, electrochemical degradation of (abs-S01#42) (4) 738
- Filler dispersion, range of measurement and correlation with compound dynamic properties (2) 249
- Filler particle size, effect on color of thermoplastic elastomers (abs-F00#25) (1) 157
- Filler types, interaction with polymer vs. strain rate and temperature (abs-F00#83) (1) 172
- Filler, for passenger tires, carbon-silica dual phase (abs-S01#55) (4) 741
- Filler-rubber reinforcement, studied by high-resolution solid state NMR (2) 260
- Film thickness, effect on ozonation of unstretched NR (1) 57
- Films, of thermoplastic elastomers, for barrier material (4) 701
- Finite modeling, nonlinear, of elastomer seals (1) 171
- FKM (fluorocarbon rubber), blends with ACM and multifunctional acrylates, as thermoplastic elastomers (4) 662
- FKM (fluorohydrocarbon elastomers), cured with bisphenol for low temperature service (abs-F00#15) (1) 155
- Fluoroelastomer matrix, mathematical model for chemical attack of a nucleophilic agent on (abs-F00#118) (1) 182
- Fluorohydrocarbon elastomers, for low temperature service, cured by new technology (abs-F00#15) (1) 155
- Foability, of TPV, as affected by vinyl silane grafted PP (abs-F00#41) (1) 162
- Force retention, in radial seals, methodology of testing (abs-F00#82) (1) 171
- Fracture and fatigue, in SBR and BR, factors affecting (review) (3) 409
- Fracture and stress analysis, in bonded rubber blocks (abs-F00#70) (1) 169
- Fracture mechanics, relation to crack growth in rubber-cord laminates (review) (3) 509
- Free energy of detachment, as affected by swelling of constrained rubber layers (1) 89
- Frequency, relations to lifetime of composite elastomeric materials (abs-F00#32) (1) 159
- Gas phase polymerization technology, for production of very low Mooney EPDM (abs-F00#12) (1) 154
- Gaskets and seals, of polyacrylate elastomers with improved heat and compression set resistance (abs-F00#127) (1) 184
- Gaskets and seals, polyacrylate, with improved heat and compression set resistance (abs-F00#126) (1) 184
- GECO (epichlorohydrin rubber, with improved processability, compression set resistance (abs-F00#130) (1) 185
- Gel, effect on green strength of NR (abs-S01#63) (4) 743
- Goodyear Medal Address, 2001 (3) 355
- Green strength, of NR, as affected by gel (abs-S01#63) (4) 743
- GRT (ground rubber tire) powder, chlorinated to different levels (4) 645
- GTR (ground tire rubber), continuous ultrasonic devulcanization (abs-F00#113) (1) 180
- GTR (ground tire rubber), recycled by ultrasonic devulcanization in coaxial and barrel reactors (2) 317

- Guayule rubber, fatigue life compared to that of *Hevea* (1) 69
- Halogen free thermoplastic elastomers, for flexible cables (abs-S01#43) (4) 738
- Hamed, Gary R., recipient of George Stafford Whitby Award, 2001 (3) G47
- HDS (Highly Dispersible silica), for use with molded and extruded rubber goods (abs-F00#57) (1) 166
- Heat resistance, of EPDM and NBR, optimizing (abs-F00#99) (1) 176
- Helicopter dampers, elastomeric materials, nonlinear modeling of (abs-F00#29) (1) 158
- Hevea*, fatigue life compared to that of guayule (1) 69
- Hevea* latex, structural characteristics of small rubber particles from (abs-S01#20) (4) 732
- High-resolution latex state ¹³C-NMR spectroscopy, effect of particle size and temperature (2) 295
- History, of rubber, sources for studying (review) (3) 493
- HNBR, thermo-oxidative effects of post cure (abs-F00#102) (1) 177
- Hoses, automotive cooling, electrochemical resistance of peroxide cured EPDM (abs-F00#117) (1) 181
- Hybrid sulfur bridges, formed in vulcanization using polysulfide polymers as crosslinking agents (1) 28
- Hydrocarbon resins, in cured elastomer systems (abs-F00#93) (1) 174
- Hyperelastic membrane, cylindrical, of rubber-like material under internal pressure, large deformation analysis (1) 100
- Hysteresis energy loss, in cord/rubber composites under 2-D cyclic loading (5) 871
- Hysteresis, acceleration dependent, phase lag variation during cyclic sinusoidal testing (abs-F00#83) (1) 172
- Hysteretic energy loss, in cord/rubber composites under 2-D cyclic loading (abs-F00#28) (1) 158
- IIR and BIIR, blends with PS-PIB-PS block polymers for improved processability (4) 583
- Impedance sensing, for detecting compound and temperature variation in rubber processing (abs-S01#38) (4) 737
- Indentation, micro- and nano-, for mapping modulus of rubbers (review) (3) 428
- Indenter sample contact, studied during force imaging of filled rubber (abs-F00#60) (1) 167
- Information technology, and e-business initiatives in the TPE industry (abs-F00#62) (1) 167
- Infrared band ratios, for studying reactivity of hydrocarbon resins in cured elastomers (abs-F00#93) (1) 174
- Injection molded compounds, peroxide cured, improved by Spheron 4000 black (abs-F00#98) (1) 176
- Injection molding composition, of low viscosity EPDM, compound optimization for (abs-F00#33) (1) 160
- Injection molding, of multicomponent TPEs and thermoplastics, bond strength studied (abs-F00#42) (1) 162
- Insulation, for wire and cable (abs-S01#28) (4) 734
- Ionic strength, effect of reduction in preparing silicas for rubber reinforcement (abs-F00#56) (1) 165
- IR (polyisoprene), blends with CR, adhesive and cohesive strength (abs-F00#107) (1) 179
- IR (polyisoprene), peroxide cure with solid coagent, for improved properties (abs-S01#34) (4) 735
- Isobutylene/isoprene/*p*-methylstyrene terpolymer, brominated and cured (abs-F00#104) (1) 178
- Isobutylene/isoprene/styrene terpolymers, brominated and cured (abs-F00#104) (1) 178
- Keltan® 7341A, sponge grade EPDM for high performance, made by CLCB (abs-F00#14) (1) 154
- Kevlar® brand, composite of aramid pulp and elastomer, for engineered products (abs-F00#19) (1) 156
- Laminated belts, of three or more plies, conditions of decoupling in-plane shear from a specified out-of-plane bending (abs-F00#27) (1) 158
- Library and Information Services, Rubber Division (1) G06
- Liquid cast polyurethane elastomers (abs-F00#35) (1) 160
- Liquid polysulfide rubbers (1) 160
- Liquid rubbers, hydroxy-functionalized, synthesis of (abs-F00#121) (1) 182
- Load bearing elastomers, research directions in behavior and characterization (abs-F00#45) (1) 163
- Low hardness rubber, epichlorohydrin, for office copy rollers (abs-F00#130) (1) 185
- Low molecular weight diene block copolymers (abs-F00#11) (1) 154
- Low temperature service, of fluorohydrocarbon elastomers cured by a new technology (abs-F00#15) (1) 155
- Mass loss curves, in study of CR, for detecting types of degradation (4) 622
- Mathematical model, for nucleophilic attack on fluoroelastomers by amines (abs-F00#118) (1) 182
- McGrath, James E., recipient of 2001 Chemistry of Thermoplastic Elastomers Award (3) G49
- Mechanical goods, using liquid EPDM formulations (abs-F00#9) (1) 153
- Metallic coagents, for bonding rubber to metal (abs-F00#100) (1) 177
- Metallocene catalysts, constrained geometry type, for making EPDM terpolymers (4) 688
- Metallocene catalysts, of constrained geometry, for making crystalline EPDMs (abs-F00#125) (1) 184
- Metallocene catalysts, for next generation of ethylene elastomers (abs-F00#124) (1) 183
- Metallocene elastomers and EPDM, blends for wire and cable (abs-S01#29) (4) 734
- Micro- and nano-indentation techniques, for mapping modulus of rubbers (review) (3) 428
- Micro-ingredients, in rubber compounds, handling (abs-F00#72) (1) 169
- Micromechanical testing, of PIB-PS block thermoplastic, using TEM of thin films (abs-F00#24) (1) 157
- Microstructure and strength, of NR-BR blends, as related to mixing methods (1) 1
- Microstructure, of PIB-PS thermoplastic elastomers correlated with deformation (4) 601

- Migration, of chemical additives in rubber compounds (abs-S01#56) (4) 741
- Mistron® micronized talcs, as semi-reinforcing filler for extruded and molded parts (abs-F00#17) (1) 155
- Mixing, relation to microstructure and strength of NR:BR blends (1) 1
- Model, coupled response, for elastomeric bushings (2) 338
- Model, for compressibility of elastomers at finite deformation (4) 541
- Model, for rubber degradation under ultrasonic treatment, effect of thermal degradation (abs-F00#90) (1) 174
- Modeling, constitutive, of plasticized PVC for broad range of strain rates (4) 560
- Modeling, nonlinear, of elastomeric materials for helicopter dampers (abs-F00#29) (1) 158
- Modeling, of plasticized PVC, for strain rates (abs-F00#48) (1) 163
- Modeling, step-strain relaxation and cyclic deformation of elastomers (abs-F00#49) (1) 164
- Modelization, for theoretical engineering studies of filled rubbers (abs-S01#4) (4) 730
- Models using numerical software, for studying behavior of elastomers (abs-S01#1) (4) 729
- Modulus mapping, of rubbers using micro- and nano-indentation techniques (review) (3) 428
- Mold steel, prehardened, for precision rubber parts (abs-F00#135) (1) 186
- Molding processes, for TPVs, improved by use of new alloys (abs-F00#63) (1) 167
- Molding, multi-layer, using "The EstaGrip™ TPE system F00#431162 (abs-F00#63) (1) 167
- Montmorillonite clay, hybrid with polytrimethylol propane triacrylate, blended with polyolefin (5) 834
- Mooney viscosity stability, in silica-filled rubbers (abs-S01#58) (4) 742
- Mullins effect, in silica-filled polydimethylsiloxane networks (5) 846
- N*-(cyclohexylthio)phthalimide, as a prevulcanization inhibitor in 2-bisbenothiazole-2,2'-disulfide accelerated sulfur vulcanization (1) 44
- N,N*-dichlorohydantoin moieties, added to triblock elastomers to make them biocidal (2) 331
- Naval applications, of elastomers (abs-S01#25) (4) 733
- NBR, effect of polymer variations on compound properties (abs-S01#21) (4) 733
- NBR, optimizing heat resistance (abs-F00#99) (1) 176
- Neutralization degree, effect on properties of TPE based on sulfonated maleated styrene-ethylene/butylene-styrene block copolymer (5) 883
- New algebra, from non-extensive statistical physics (abs-S01#2) (4) 729
- NMR, high resolution solid state, for study of interaction between carbon black and SBR rubber (2) 260
- Nonlinear modeling, of fiber-reinforced composites for rubber muscle actuators (abs-F00#30) (1) 159
- Non-linear modelization, of the behavior of elastomers (abs-S01#1) (4) 729
- NR blends with CR, adhesion and cohesive strength (4) 614
- NR composites, effect of aluminum powder on thermal conductivity, curing and aging (2) 236
- NR, in situ filling with silica by sol-gel process (1) 16
- NR, aging in air and seawater (1) 79
- NR, chlorinated, surface and failure analyses of post vulcanized bonded composite (abs-F00#6) (1) 152
- NR, cut growth as affected by crosslink density (abs-F00#70) (1) 169
- NR, effect of gel on green strength (abs-S01#63) (4) 743
- NR, effect of silane coupling agent on compound with silica generated in situ (abs-S01#60) (4) 742
- NR, processable low temperature cure, for offshore oil-production use (abs-S01#39) (4) 737
- NR, solving the mystery of structure (3) 355
- NR:BR blends, relation between mixing methods, microstructure and strength (1) 1
- Office copy rolls, with compression set resistance and low hardness, from GECO (abs-F00#130) (1) 185
- Oil-field service, for elastomers, durability review (abs-S01#27) (4) 734
- Oil-production, offshore, use of processable low temperature cure NR for (abs-S01#39) (4) 737
- Optimizing rubber products, by compound characterization and computer modeling (abs-F00#47) (1) 163
- Organic peroxides, for the rubber industry, dispelling myths about (abs-F00#73) (1) 170
- Organic peroxides, safe use for crosslinking of elastomers and thermoplastics (abs-F00#76) (1) 170
- Orientation, uniaxial and biaxial, effect on morphology and properties of TPE filaments (abs-F00#40) (1) 161
- O-rings, of consistent performance, through new test criteria (abs-F00#82) (1) 171
- Oxygen index methods, for predicting behavior of cables in vertical tray flame tests (abs-S01#32) (4) 735
- Ozonation, of unstretched NR, effect of film thickness (1) 57
- Ozone protection, for SBS thermoplastic elastomers, using cyclo enol ether (Vulkazon® AFD0 (abs-F00#23) (1) 157
- Packaging, for the rubber industry (abs-F00#54) (1) 165
- Packaging, opportunities for improving product handling (abs-F00#52) (1) 165
- Packaging, reusable plastic, in the rubber industry (abs-F00#50) (1) 164
- Particle size and temperature, effect on high-resolution latex state ¹³C=NMR spectroscopy (2) 295
- Payne effect, in dynamically vulcanized EPDM/IPP elastomers (4) 677
- PDMS (polydimethylsiloxane), silica-filled, Mullins effect during stretching (5) 846
- Pebax®, polyether block amide bridging the gap between thermoplastics and elastomers (abs-F00#21) (1) 156
- Peroxides, for increasing cure rate of Vamac® dipolymers and terpolymers (abs-F00#115) (1) 181

- Perfluoroelastomers, in service environments, properties and applications (abs-S01#24) (4) 733
- Perfluoroether elastomer, for seals (abs-S01#8) (4) 730
- Peroxide crosslinking, of silicone compounds (abs-F00#116) (1) 181
- Peroxide cure elastomers, antioxidants for (abs-S01#31) (4) 735
- Peroxide cure, of elastomers, coagent for (abs-F00#77) (1) 171
- Peroxide cure, of IR, use of solid coagent for improved polymer properties (abs-S01#34) (4) 735
- Peroxide cured automotive coolant hoses, impact of 42 volt electrical systems on electrochemical resistance (abs-F00#117) (1) 181
- Peroxide curing, of ethylene elastomers, Monte Carlo simulation for predicting (abs-F00#79) (1) 171
- Peroxide vulcanization, of rubber (abs-F00#75) (1) 170
- Peroxides, for vulcanization of elastomers (review) (3) 451
- Peroxides, predispersion with coagents (abs-F00#97) (1) 176
- PET (poly(ethylene terephthalate)) film, on uncrosslinked SBR, peel strength (abs-S01#14) (4) 731
- PET (polyethylene terephthalate) short fibers, in composites with PP and ethylene-octene copolymer blends, optimizing (2) 189
- Phase lag variation, during cyclic sinusoidal testing of filler effects in polymers (abs-F00#83) (1) 172
- Phenolic antioxidants, for polyolefin wire and cable applications (abs-S01#41) (4) 738
- Phenolic bonding agents, cure studies using TGA, FTIR and contact angle (abs-S01#18) (4) 732
- PIB-PS block polymers, micromechanical testing (4) 601
- Plasma polymerized acetylene film, for bonding rubber to steel (abs-F00#7) (1) 153
- Ply steer, in belted tires, corrected by changing conditions of cord bias angles (abs-F00#27) (1) 158
- Polyacrylate elastomers, for use with engine and automatic transmission fluids requiring low compression stress relaxation (abs-F00#127) (1) 184
- Polyacrylate rubbers, with improved heat and compression set resistance, for gaskets and seals (abs-F00#126) (1) 184
- Polyamide grafted compatibilizer, for improving adhesion of TPVs to polyamide substrates (abs-F00#22) (1) 156
- Polybutadiene resin, with allylic functionality, as coagent in wire and cable (abs-S01#30) (4) 734
- Polybutadiene resins, liquid, uses in elastomers (abs-F00#13A) (1) 154
- Polybutadienes, with alpha-tert-butoxy or alpha-tert-butyl dimethylsilyloxy groups leading to alpha, omega-dihydroxypolybutadienes (abs-F00#121) (1) 182
- Polyether block amide resins, containing linear chain of rigid polyamide with flexible polyether segments (abs-F00#21) (1) 156
- Polyethylene, chlorinated and chlorosulfonated, for automotive fuel hose covers (abs-F00#128) (1) 185
- Polymer-filler interactions, in silica-filled rubbers (abs-S01#58) (4) 742
- Polymerization method and cure system, effect on NBR properties (abs-S01#21) (4) 733
- Polyolefin elastomers, made using constrained geometry catalyst, for automotive primary wiring (abs-S01#40) (4) 737
- Polyolefins, blended with dimethylphenolic resin under melt conditions (abs-F00#95) (1) 175
- Polyolefins compounds, for wire and cable applications, phenolic stabilizers for (abs-S01#41) (4) 738
- Polysulfide organosilane, coupling agent for silica, used to understand nature of surface (abs-F00#58) (1) 166
- Polysulfide polymers, as vulcanization agents for reversion stable networks (1) 28
- Polysulfide rubbers, liquid (1) 160
- Polyurethane elastomers, liquid cast (abs-F00#35) (1) 160
- Polyurethane, thermoplastic, high performance (abs-F00#20) (1) 156
- Post cure, of HNBR, oxidative effects (abs-F00#102) (1) 177
- Powders, electromagnetic feeders for (abs-F00#133) (1) 186
- PP (polypropylene) blends with ethylene-octene copolymers and PET fibers, optimization (2) 189
- PP, blends with EPDM, dynamically cured (2) 211
- PP, vinyl silane grafted, effect on foamability of thermoplastic vulcanizates (abs-F00#41) (1) 162
- PP/EPDM blends, dynamically vulcanized, influence of processing history and composition on structure and biaxial deformation (5) 761
- PP/EPDM blends, processing characteristics and structural hierarchy development in tubular blown dynamically vulcanized material (5) 745
- Predispersion, of peroxides and coagents (abs-F00#97) (1) 176
- Primers, for rubber-steel bonding, from plasma polymerized acetylene films (abs-F00#7) (1) 153
- Processability, of carbon-polymer gel masterbatch (abs-S01#62) (4) 743
- Processing history, of dynamically vulcanized PP/EPDM blends, influence on structure and deformation (5) 761
- PS-PIB-PS (polystyrene-polyisobutylene-polystyrene) block copolymers, blends with butyl and bromobutyl rubbers (abs-F00#3) (1) 152
- PS-PIB-PS block polymers, micromechanical testing by TEM of thin films (abs-F00#24) (1) 157
- PS-PIB-PS, blends with IIR and BIIR for improved processability (4) 583
- PVC plastisol, rheology study using dilatancy and fracture (abs-S01#13) (4) 731
- PVC, constitutive modeling to cover broad range of strain rates (4) 560
- PVC, enhancing compatibility with tire scrap by surface chlorination of ground rubber tires (4) 645
- PVC, plasticized, characterization and constitutive modeling for strain rates (abs-F00#48) (1) 163
- Pyrolysis-GC/MS and TGA, for characterizing blends of SBR and NR (abs-S01#19) (4) 802

- Quantitative life prediction, of elastomers (abs-S01#23) (4) 733
- Radial seal, force retention, method for testing (abs-F00#82) (1) 171
- Recycled rubber and plastic blends, continuous vs. batch processing (abs-F00#112) (1) 180
- Recycled rubber powder, compression molding (abs-F00#87) (1) 173
- Recycled tire crumb, for use in new tires (abs-F00#16) (1) 155
- Recycling, of GTR, by ultrasonic devulcanization (abs-F00#113) (1) 180
- Recycling, of rubber, challenges and opportunities (abs-F00#85) (1) 172
- Recycling, of tire scrap totally (abs-F00#111) (1) 179
- Regenerated crumb rubber, of tires and other scrap, made by thermal or chemical process (abs-F00#110) (1) 179
- Regulations and standards relating to TPEs (abs-F00#44) (1) 163
- Reinforcement, of BR and SBR vulcanizates, by organophilic layered silicates (2) 221
- Reinforcement, of rubber by silane-modified silica (abs-S01#59) (4) 742
- Reinforcing elastomers, designing ideal precipitated silica for (abs-F00#55) (1) 165
- Reinforcing elastomers, with silica powders of reduced ionic strength (abs-F00#56) (1) 165
- Reinforcing filler, in rubber compounds, from upgraded CBp from waste tires and scrap rubber (abs-F00#114) (1) 180
- Reversion stable networks, with polysulfide polymers as vulcanization agents (1) 28
- Rheological characterization, of branched vs. linear solution SBR (abs-S01#52) (4) 740
- Rheology, of PVC plastisol, dilatancy and fracture (abs-S01#13) (4) 731
- Rheometric properties, predicting by means of artificial neural networks (1) 116
- Rolling resistance, fundamentals (review) (3) 525
- RPA2000 (Rubber Process Analyzer), for measuring dynamic aging (abs-F00#96) (1) 176
- Rubber block, bonded between two rigid plates, calculating energy release rate in tilted (abs-F00#66) (1) 168
- Rubber blocks, bonded to plates, compression of rectangular and annular (abs-F00#84) (1) 172
- Rubber Division, ACS, Best Paper Awards, Spring 2000 (1) G05
- Rubber Division, ACS, Charles Goodyear Medalist--2001, Yasuyuki Tanaka (3) G51
- Rubber Division, ACS, George Stafford Whitby Award, 2001, to Gary R. Hamed (3) G47
- Rubber Division, ACS, Instructions to contributors (3) G40
- Rubber Division, ACS, Library and Information Services (1) G06
- Rubber Division, ACS, Program for 2001 Fall Meeting (5) G68
- Rubber Division, ACS, Program for Spring Meeting, 2001 (4) G60
- Rubber Division, ACS, Summary of Best Paper, Best Symposium, and Honorable Mention Awards (2) G16
- Rubber Division, ACS, The Chemistry of Thermoplastic Elastomers Award, 2001, to James E. McGrath (3) G49
- Rubber Division, American Chemical Society, Directory, 2001 (1) G01
- Rubber Division, policy on technical papers presented at Rubber Division meetings (1) G08
- Rubber formulation, solving problems with analytical chemistry (abs-F00#101) (1) 177
- Rubber muscle actuator, nonlinear modeling of fiber-reinforced elastomers for (abs-F00#30) (1) 159
- Rubber nanocomposites, properties of vulcanizates reinforced by organophilic layered silicates (2) 221
- Rubber processing, using in-mold impedance sensors for temperature and compound variations (abs-S01#38) (4) 737
- Rubber springs, from EPDM, evaluating compound design and processing (abs-F00#106) (1) 178
- Rubber--cord laminates, application of fracture mechanics to crack growth (review) (3) 509
- Rubber--steel bonding, new developments (abs-F00#5) (1) 152
- Rubber--steel bonding, using plasma polymerized primers (abs-F00#7) (1) 153
- Rubber-to-metal bonding, using metallic coagents (abs-F00#100) (1) 177
- Rubber-to-steel adhesion, measuring by electrochemical means (abs-F00#119) (1) 182
- Safe handling, of organic peroxides for crosslinking of elastomers and thermoplastics (abs-F00#76) (1) 170
- Saret 633 and 634, coagents for rubber-to-metal bonding (abs-F00#100) (1) 177
- SBR, branched vs. linear studied by adjusting initiator/modifier system in solution polymerization (abs-S01#52) (4) 740
- SBR, crack growth, time dependent and cyclic (abs-S01#65) (4) 744
- SBR, devulcanization by ultrasonic treatment (abs-F00#86) (1) 172
- SBR, factors affecting fracture and fatigue (review) (3) 409
- SBR, monitoring sulfur crosslinks by quantitative analysis of sulfur K-edge XANES-spectra (2) 281
- SBR, peel strength when adhered to PET film (abs-S01#14) (4) 731
- SBR, unfilled and filled, crack toughness behavior (abs-S01#64) (4) 743
- SBR/Br and NR, modifying action of sulfenamide accelerators with thiuram sulfides (abs-S01#33) (4) 735
- SBS (styrene--butadiene--styrene thermoplastic elastomer), protecting against ozone attack (abs-F00#23) (1) 157
- Scanning VNC, for cure mapping of one-shot liquid rubber or cast rubber (abs-F00#37) (1) 161
- Scorch safety and increased cure rate, for tires, using TATD accelerators (abs-S01#37) (4) 736
- Scrap tires, ground and surface chlorinated (4) 645
- Sealing systems, using in-mold dielectric sensors (abs-F00#136) (1) 186
- Seals, nonlinear finite modeling (1) 171
- Seals, of perfluoroether elastomer (abs-S01#8) (4) 730
- Seawater and air, effect on aging of NR (1) 79

- Self-crosslinking, of blends of rubber/rubber or rubber/thermoplastic (review) (3) 376
- Sensibility matrix, for calculating minimum expected variability for a given compound (1) 116
- Sensing systems, for tires, historical background (abs-S01#47) (4) 739
- Sensing technology, for monitoring tire life in mining industry (abs-S01#49) (4) 739
- Service life, of elastomeric components in severe service environments (abs-S01#23) (4) 733
- Service life, of perfluoroelastomers (abs-S01#24) (4) 733
- Silane coupling agents, for silica generated in situ, in NR (abs-S01#60) (4) 742
- Silane coupling agents, improved processing with thermoplastic bound (abs-S01#53) (4) 740
- Silane coupling agents, used with silica for rubber molded and extruded goods (abs-F00#57) (1) 166
- Silanes, for wet traction, using sulfur functional type with preference for geminal hydroxyls to reduce amount used (abs-S01#57) (4) 741
- Silanes, influence on reinforcement of silica-filled compounds (abs-S01#59) (4) 742
- Silica compounds, better process description for extrusion of materials containing (5) 898
- Silica fillers, for SBR, effect of secondary structure on mechanical properties (abs-S01#54) (4) 740
- Silica filling, of "green" NR in situ by the sol-gel process (1) 16
- Silica particles, interaction in rubber model system studied by small angle neutron scattering and rheology (abs-F00#58) (1) 166
- Silica powder, with hard aggregates and soft agglomerates, for reinforcing elastomers (abs-F00#56) (1) 165
- Silica, colloidal, for reinforcing silicone rubbers (4) 630
- Silica, generated in situ, coupled with silane for use in NR (abs-S01#60) (4) 742
- Silica, high-dispersible, high structure, effect on properties of rubber goods (abs-F00#57) (1) 166
- Silica, of high surface activity, reduced surface area, for wet traction oriented compounds using little or no silane coupler (abs-S01#57) (4) 741
- Silica, precipitated, for reinforcing elastomers, designing an ideal form (abs-F00#55) (1) 165
- Silica-filled PDMS, stabilized stretching curve and the Mullins effect (5) 846
- Silica-filled rubber compounds, influence of different silanes on reinforcement (abs-S01#59) (4) 742
- Silicone compounds, crosslinking by peroxides (abs-F00#116) (1) 181
- Silicone elastomers, effect of fiber surface treatment on interfacial bonding (abs-F00#8) (1) 153
- Silicone rubber, precipitated silica filled, ultrasonic devulcanization of (2) 303
- Silicone rubber, silica filled, ultrasonic devulcanization (abs-F00#88) (1) 173
- Silicone rubbers, new generation of addition curing, heat vulcanizing class (abs-F00#132) (1) 186
- Silicone rubbers, of improved clarity and lower viscosity, by use of colloidal silica filler (4) 630
- Simple shear, comparing theoretical with nominal in bonded rubber (abs-F00#70) (1) 169
- SIR, of random composition, made by distributed monomer feed system (abs-F00#103) (1) 177
- Skid resistance, improved by use of carbon-silica filler (abs-S01#55) (4) 741
- Small angle neutron scattering, for study of silica particle interaction in a rubber model (abs-F00#58) (1) 166
- Small rubber particles, from *Hevea* latex, structure of (abs-S01#20) (4) 732
- Smart sensing structures, as applied to tires and other areas (abs-S01#50) (4) 739
- Smart tires, for medium trucks, for monitoring inflation (abs-S01#48) (4) 739
- Smart tires, historical background of sensing devices (abs-S01#47) (4) 739
- Smith, Wendell V., inducted into International Rubber Science Hall of Fame, biog. (2) G28
- Sources, for studying historical aspects of rubber (review) (3) 493
- Spheron 40000 black, for improved peroxide cured injection moldings (abs-F00#98) (1) 176
- S-SBR/BR passenger tread rubber, using disulfide silane and sulfur for (abs-F00#59) (1) 166
- Steel, new developments in bonding to rubber (abs-F00#5) (1) 152
- Step-strain relaxation and cyclic deformations, of elastomers, modeling (abs-F00#49) (1) 164
- Strain energy density functions, effects on inflation kinematics in cylindrical hyperelastic membrane (1) 100
- Strain rates, in plasticized PVC, modeling to cover a broad range (4) 560
- Strain rates, of PVC, modeling of (abs-F00#48) (1) 163
- Strip coal mine, as site for disposition of shredded tires (abs-F00#89) (1) 173
- Structural characterization, of natural polyisoprenes (3) 355
- Structural plastic parts, incorporating TPEs (abs-F00#38) (1) 161
- Structural steel, comparison of load bearing ability with that of rubber components (abs-F00#45) (1) 163
- Structure-property relationships, initial development in dynamically vulcanized EPDM/IPP (4) 677
- Styrene/ethylene-butylene/styrene triclock polymer, rendered biocidal by adding *N-N*-dichlorohydantoin moieties (2) 331
- Styrenic block copolymers, for heat resistant TPEs of good clarity (abs-F00#4) (1) 152
- Sulfonated maleated styrene-ethylene/butylene-styrene block copolymer, effect of degree of neutralization on properties (5) 883
- Sulfur crosslinks, quantitative monitoring in SBR elastomers during thermal aging by XANES spectra (2) 281
- Surface and failure analysis, of post vulcanized bonded composite based on chlorinated NR (abs-F00#6) (1) 152
- Surface treatment, of CBS, its effect on reactivity in rubber vulcanization (abs-F00#91) (1) 174
- Swelling, of constrained rubber layers, effect on free energy of detachment (1) 89

- Talcs, micronized, for extrusion and molding applications (abs-F00#17) (1) 155
- Tanaka, Yasuyuki, Charles Goodyear Medalist--2001, biog. (3) G51
- TATD (tetra-alkyl thiuram disulfide), in tire compounds to increase cure rate without scorching (abs-S01#37) (4) 736
- Technical papers, policy on presentation at Rubber Division meetings (1) G08
- TEM (transmission electron microscopy), of thin films for micromechanical testing of PS--PIB--PS block polymers (abs-F00#24) (1) 157
- Temperature, during compounding, effect on color of TPEs (abs-F00#25) (1) 157
- TEOS (tetraethoxysilane), sol--gel reaction for dispersing silica in NR (1) 16
- TESPT (bis[triethoxysilylpropyl]-tetrasulfan), to produce matrix--filler reactive bonding in rubber nanocomposites (2) 221
- Thermoplastic elastomer films, for barrier material (4) 701
- Thermal conductivity, of thick NR composites filled with aluminum powder (2) 236
- Thermal degradation effect, of rubber under ultrasonic treatment (abs-F00#90) (1) 174
- Thermal degradation, of aged CR studied by TGA (4) 622
- Thermoplastic elastomers from PIB--PS, micromechanical testing (4) 601
- Thermoplastic elastomers, fifty years of innovations (abs-F00#1) (1) 151
- Thermoplastic elastomers, from blends of polyolefins with low-density polyolefins or from ethylene-vinyl acetate copolymers with low density polyolefin (5) 814
- Thermoplastic vulcanizates, designed for automotive weatherseal (abs-F00#39) (1) 161
- 2-thio-5-amino-substituted benzoquinones, synthesis (5) 915
- Third monomer content, effect on mechanical and elastic properties of EPDM (1) 138
- Thiuram monosulfide and disulfide, as coaccelerators for TBBS and CBS in SBR/BR and NR (abs-S01#33) (4) 735
- Tilting deformations, in bonded rubber block, for measuring crack growth rate (abs-F00#66) (1) 168
- Time domain model, for nonlinear thermo-viscoelastic properties of elastomers for helicopter dampers (abs-F00#29) (1) 158
- Tire compounds, using TATD for increased cure rate without loss of properties (abs-S01#37) (4) 736
- Tire imaging, using smart sensing structures (abs-S01#50) (4) 739
- Tire industry, bibliographic survey of sources on (review) (3) 493
- Tire rolling resistance, related to filler dispersion and network density (2) 249
- Tire rolling resistance, fundamentals (review) (3) 525
- Tire scrap, pyrolyzed to form CBp reinforcing filler for rubber compounds (abs-F00#114) (1) 180
- Tire scrap, totally recycled (abs-F00#111) (1) 179
- Tire tread, silica, optimizing use of difulfide silane in (abs-F00#59) (1) 166
- Tires, belted, correcting ply steer (abs-F00#27) (1) 158
- Tires, for the mining industry, monitoring for improved life (abs-S01#49) (4) 739
- Tires, passenger, using carbon--silica dual phase filler (abs-S01#55) (4) 741
- Tires, sensing systems, historical background (abs-S01#47) (4) 739
- Tires, shredded, disposal in old coal strip mines (abs-F00#89) (1) 173
- Tires, use of recycled tire crumb in new (abs-F00#16) (1) 155
- Titanate coupling agents, in thermoplastics and thermosets, effects on processing properties (abs-S01#16) (4) 731
- TMPTA (trimethylpropane triacrylate), with ACM and FKM as thermoplastic elastomer (4) 662
- TPA industry, influence of e-business (abs-F00#62) (1) 167
- TPE, based on styrenic block copolymers, for clear, high heat resistant material (abs-F00#4) (1) 152
- TPE, based on sulfonated maleated styrene--ethylene/butylene--styrene block copolymer (5) 883
- TPE, from polyether block amide resins (abs-F00#21) (1) 156
- TPEs, effect of filler size and compounding melt temperature on color (abs-F00#25) (1) 157
- TPEs, effect of orientation on morphology and properties of filaments (abs-F00#40) (1) 161
- TPEs, incorporating in multicomponent structural plastic part design (abs-F00#38) (1) 161
- TPEs, regulations and standards relating to (abs-F00#44) (1) 163
- TPU (thermoplastic polyurethane) high performance elastomers (abs-F00#20) (1) 156
- TPU rubber, oil-resistant, bonded to polycarbonate (abs-F00#42) (1) 162
- TPU, glass/reinforced, adhesion to TPU for multi-layer molding (abs-F00#43) (1) 162
- TPV (thermoplastic vulcanizate), addition of vinyl silane grafted PP to chemical foaming agent for (abs-F00#41) (1) 162
- TPV, creative, cost-effective production through new alloys and bonding to new substrates (abs-F00#63) (1) 167
- TPV, thermoplastic vulcanizates, new, for extrusion, injection molding, blow molding (abs-F00#2) (1) 151
- TPVs (thermoplastic vulcanizates), improving adhesion to polyamide substrates with polyamide grafted compatibilizer (abs-F00#22) (1) 156
- Truck tire tread, carbon--silica dual phase filler for reinforcing (1) 124
- Truck tires, with passive transponder for monitoring inflation (abs-S01#48) (4) 739
- Tubular film, of PP/EPDM blend, processing characteristics and structural hierarchy development (5) 745
- Ultrasonic devulcanization, of GTR (abs-F00#113) (1) 180
- Ultrasonic devulcanization, for recycling ground tire rubber, in coaxial and barrel reactors (2) 317
- Ultrasonic devulcanization, of silica filled silicone rubber (abs-F00#88) (1) 173

- Ultrasonic devulcanization, of silica-filled silicone rubber (2) 303
Ultrasonic devulcanization, of unfilled SBR (abs-F00#86) (1) 172
Ultrasonic treatment of rubber, effect of thermal degradation, model for (abs-F00#90) (1) 174
Uniaxial stretching, of NR, true stress, true strain and real time birefringence during (abs-S01#12) (4) 730
Unstretched NR, effect of film thickness on ozonation (1) 57
- V5504, low viscosity EPDM for injection molding (abs-F00#33) (1) 160
Vamac® dipolymers and terpolymers, increased cure rates using peroxides (abs-F00#115) (1) 181
Vertical tray flame tests, of cable, use of oxygen index method in (abs-S01#32) (4) 735
Vibration isolation characteristics, of S-SBR and NR blends for engine mounts (abs-F00#105) (1) 178
Vibratory feeders, for fine mesh products (abs-F00#133) (1) 186
Vinyl silane grafted PP, effect on foamability of TPV containing water releasing compound (abs-F00#41) (1) 162
Volume resistivity, of EPDM, effect of type of carbon black on (abs-F00#123) (1) 183
Vulcanization, of elastomers with peroxides (review) (3) 451
Vulcanization, of rubber, as affected by surface treatment of CBS (abs-F00#91) (1) 174
- Warehouse management, innovative developments in (abs-F00#74) (1) 170
Weatherseal, automotive, designed from thermoplastic vulcanizate (abs-F00#39) (1) 161
Weatherstrip, aqueous vs. solvent based coating for high-slip (abs-F00#122) (1) 183
Wet skid resistance, improved by use of carbon-silica dual phase filler in truck tires (1) 124
Wet traction oriented compounds, using reduced or no silane coupling agent (abs-S01#57) (4) 741
Whitby Award, 2001, to Gary R. Hamed (3) G47
Wire and cable bedding compounds, guidelines for specifying (abs-S01#44) (4) 738
Wire and cable manufacturing, process analysis (abs-S01#45) (4) 739
Wire and cable, coagent selection for (abs-S01#30) (4) 734
Wire and cable, insulation materials for (abs-S01#28) (4) 734
Wires, primary automotive, from polyolefin elastomers made using constrained geometry catalyst (abs-S01#40) (4) 737
- XANES (x-ray absorption near-edge structure)spectra, for quantitative study of sulfur crosslinks during aging of vulcanizates (2) 281
- Zirconate coupling agents, in thermoplastics and thermosets, effects on processing properties (abs-S01#16) (4) 731

